# **DX 106**


34 °			PATENT A	PPLICATION		Fie
	7365		<b>建福里川</b> 0908	<b>Man 12</b> 0774	IN(TIA	ш_//_ш
			CONT	ENTS .	Tage 1 Saug	5/26/27
	05	/16/96	Date received	EM19	•	Date received
			(incl. C. of M.)  Or  Date Halled			(Incl. C. of NL) or Date Mailed
	1.4	Splicetion Q DON IN papers.	مر در می سو	42		SAME SAME
7.55	A	ce hillwitestun	5-18-48	43		,
	<i>-</i>	Drown of Alt	2.28.98	44	·	<del></del>
X		Notice of acorbine	7-25-99	45	<del></del> ,	<del></del>
	v)16	Election Ren (I starth)	0.19.95	47		
	ء آورا)۱	Staff time (2)	10/8/19			
	1176	election	1/8/9	49		
	13/19-	Rejection (3 months)	3-20 40	£1000	<del></del>	· <del></del>
		Compta /Dung			<del></del>	
		-R	1.10.00		<del></del>	
		Downer 9 - set ]	5-23-00			
	14			55.		
	-			56		
				57		
				58		
				59 60		
	20		•	61		
		<del></del>		62		
				63		
				64		<del></del>
	1			65		<u>-</u>
	26	· · · · · · · · · · · · · · · · · · ·		67		
<b>#</b>	27	<del></del>		68		<u> </u>
	28			69	<del></del>	
				70		<del></del>
	31.		<del></del>	71		<del></del>
	32		•	73	· · · ·	
i f	33	<del></del>		74		<u>,                                     </u>
	34	<u> </u>		75	<del></del>	
		<del></del>	· · · · ·	76		
	36 37			77		
	_			78 79		
				80		
				81		
	41:			82	<del></del>	
		•	(FRC	INT)		
						•

Case No. <u>04-1371-JJF</u> **DEFT** Exhibit No. <u>DX</u> 106

Date Entered \_\_\_\_\_\_


Signature \_\_\_\_\_


00/000716	327 1/72.	·		PATENT NUMBER 8107851 S107851 LICATION PATENT DATE AUG 2 2 2008					
	SECTOR CLASS	SUBCLASS	ART UNIT	EXAMINER					
	327	177	281	2 Wei313					
			FILED WITH: DISK (CRIF) FICHE (Amortinal in private on right final these)						
				·					
	PR	EPARED AND	APPROVED FO	OR ISSUE					
		JŚSUING (	CLASSIFICATION	ON N					
	ORIGINAL		<del>/</del>	EFERENCE(S)					
	CLASS SUBSTAS	327	\$UCLASS (C	HE SUBCLASS PER BLOCK)					
	INTERNATIONAL CLASSIFICAT		2,537 277						
	H03K 3/017								
	1111-7-			Continued on luxure (Stp. Inside File Jacket					
	* <del></del>		<u> </u>	de la constant de la					
	TERMINAL	. OF	WINGS /	SCANNS ALLOWED					
	DISOLUCIAN	Sheets Dring. Fig. 9	ps. Drivig. Print Fig.	Total Chairna Print Claire for O.G.					
	a) The term of Sile patern			HONCE OF ALLOWANCE MALLED					
	subsequent to (date) has been discissmed.	(Andrews France							
	b) The term of this patent shaft not extend beyond the expiration date	Jeffrey Zu Primary Ex	vei Zig	4/10/00					
	of U.S Patent. No	Primary Ex	aminer	Amount Due Date Paid					
		- Sp 322	1/5/00						
	a) The terminalmonths of	C.	./. ]	ISSUE BATCH NUMBER					
	this patent have been disclaimed.	SCOTHING BEAUTIFE BE	773.00	F 83/					
	WARNING: The information disclosed herein may be re- Powerful outside the U.S. Polent & Tracks	Bricted. Unsufficient discio	sure stay he profiblied by the	United States Code Title 35, Sections 192, 181 and 368.					
	Furm PTO-4362 (Part. 1977)	Alies a Labitida (S. Co.		mano uty.					
	<b>1880</b>	<b>III)</b> 5.	ABEL AREA)	में प्रसंका ं स्थाह, श्रम्					



			PART W_lectric	Při tolne	ANTTAL . John St.	Marie makin anama	entralization on the co
Complete	and shall this form, tog		The state of		ner for Publish		
	•••	HIN 3 8 200	E) Weeks	ngton; D.C. 202	Marin Miller Stranding		
MALING IN Brough Labo	STRUCTIONS: This form	ation the used by the	hilding the ISSUE	PEE. Blocks 1 In the large Fee	Hote: The curlicate of milings of the topus Fo	making balow can only be a Transmittel. This position ing papers. Earth adoption thing, must have to must or	upod ter demoglic No cornect he upod
apacifying a	içe addrest as Indicated new correspondence ad	unions connected below or drawn; undfor (ts) indicati	rdivoled otherwise is ng a coparate TEE	NO TO CAMER NOTICE 1, by (a) ADDRESS' by	andpressor bearing	ring papasa. Kach adaptara Antry, masa hawa 26 dani ad Antificiala of Madina	l pisper, auch as às rillicain of mailing.
	les soffenions. PETPOLEGICE ACCREM Q	late Lagithymach op with any o	Trades (Free Medi 1)			mentano er manna Siko Peo Tipromina is to E Borico with outlines per ramed in the Box Sono For	ing distributed with
				/0410	malin en ometops att de data indicated belo	rented to the Star Seam For L	Holes for that close "- Landonne School (1)
		SOKOLOFF, TA		FMAN LL			
	12400 WILS	HIRE BOULEVA	IRD			diiten	وسيد بالمتعبونان
		S CA 90025			100-43	Sult -	
MET	UCATION NO.	FLMB DATE	TOTAL CLAIMS	т-	26, 200 SAMMER AND GROU	· · · · · · · · · · · · · · · · · · ·	DATE MALED
	09/080,774	05/18/98	018	ZWEIZI		2916	
Flut Hannal Applicant	BALAKRIS	HNAN,	35	USC 154	(b) term ext	:_ = 0 Da	ys.
TILE OF	OFFLINE CON	NERTER WITH	INTEGRATE	D SOFTST	ART AND FRE	QUENCY JITT	 Er
Lincoln Section	OI I EZIME WWW						
					•	_	
AFTY	EDOCKETNO.	CLASS-SUBCLASS	BATCHING.	APPLIX, TYPE	WAY BHIEN	FEE DUE	(MITE DIJE
. 2	233/248	327-17	72.000 K		LITY NO	\$1210.00	07/10/0
1. Charge of Use of PTI	serramondence eddess ( D formis) and Customer H	r indication of "Fee Addres privar was recommended, b	of COT COPP (1,363). Like Antiquinal.	D. Perpetiting of (1) the restor (	or the palars bors page, is if up to II registered palar print CIT, alternatively, (	BLAYFLY, SO	KOLOFF,
		p (or Change of Costapos	danca Addiesia form	I the mane of a	prin CPC, plantality, p a single line (basing as island allocasy or again	<b>ė</b> .	PHAN, LLP
	iii) ainched. Meast <sup>a</sup> Indication (or Tee <sub>l</sub>	Address" indication lians Pi	Orbit/47) essected.	Gral the names	of up to 2 registered pale. with Manageme is finised a	·	
a Approx	ENAME AND RESIDENCE	DATA TO BE PRINTED	N THE PATENT (pla	Fortype) 4	s. The following leas are	enclosed (make check pay	ship to Constructioner
PLEASE !	HOTE: Urbana are usalgrass of analysise data is only ago or is below as healthed series	E DATA TO BE PRINTED C is Mariffed below, to assi propisio when an assignm reperate cover. Complete	grae data wil appear : of has been provincely o of this book in MCT :		of Patenty and Traden  All these Fee	min):	
	Martin and a second	R INTEGRATIONS			Africa Order-10	Copies 5	<del>-</del>
ej nem	BICE (CITY & STATE OF	COUNTRY			R. The following last of a DEPORT ACCOUNT	inflatoncy in those feet sho	
Pieseda	Square nek the appropriate neelen	yvale, Califor is offcoy infeated table	n 12. (uii not be priving on	the patient)		A COPY OF THIS PORM)	
	ed Storporation or	Agus dende avend eugh	☐ government		☐ Advence Order - #		<u> </u>
Variation 8	STREET PATER PA	HOT BURNES IN THE			CARRON SOMMER SCORE,		
Stadley .	J. Negranika d	Sign Carlos Star Star	33,474   5/2	6/00			
er hijert er i Trademark C	te addigmes or other garly ! Stock	of tow/ar/one other thes is integer as shown by the	monds of the Pasint	und			. 1
	or Statement Tale and	is entimated to take 0.2 In And case. Any continget	curs to complete. The	ne will vary	•		7 1
Office, Wiss ADDRESS.	this loss should be sen hington, D.C. 20231, DO SEND FEES AND THE	to the Chief Information NOT SEMD FEES OR C FERMITO: Box Issue F	CMOR, Patent and COMPLETED PORM	Triscoment B TO 1745	The second	-	
Under the P	uhingtim D.C. 20231 spannatik fladucilan Acto ur unious It displays a val	af 1985, no payasint are in M OMS control mumber.	quired to respond to	a collection			
					-	<del></del>	
~TCL-858 (NE	V.1040) Approved for use	Brough OF 2019, CMB OF	Tianismit This I 51-0000	ORM WITH FE		Mwark Office; U.S. DEPA	ATMENT ÖP GOMMENCA
					••	,	
		•					
					-	•	

		EM	active Octob	er 1, 1997							
			NS FILED - Column 1)		mn 2)		SMALL TYPE	ENTITY	OR	OTHER SMALL	
ÖЯ	}	NUMB	ER FILED	NUMBER	EXTRA		RATE	FEE		RATE	FEE
ASI	C PEE				1.6			395.00	OR		780.00
017	L CLAIMS		7 minus	20-	7		x\$11=		RO	x\$22=	374
_	PENDENT CL		4	-3- -		IJ	x41=		OR	x82=	82
u	nple depend	ENT CLAM PR	SET			۱ [	+135=		OR	+270=	
#=	e alliereros is es	finn t is less than	and, enter Ti	o column 2		•	TOTAL		OR	TOTAL	1246
		CLAIMS AS (Column 1)	AMENDED	- PART II (Column 2)	(Column 3)		SMALL	ENTITY	OR		KAHT S YTTTVE
		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE	ADDI- TIONAL FEE		RATE	ADDI- TICNAL FEE
	Total	.36	Minuse	- 37	=	H	X\$11=		OR	x\$22=	
	Independent	• 4	Mines	4	-		x41=		OR	x82=	
₹ 	FIRST PRE	SENTATION O	FMULTIPLE	DEPENDENT CL	AIM		+135=		OR	+270=	
		(Column 1)		(Column 2)	(Column 3)	٨	TOTAL DOIT, PEE		OF	ADOIT, PEE	
		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE	ADDI- TIONAL FEE		RATE	ADDI- TIONAL FEE
	Total	•	Minus	••	=	П	x\$11=		OR	x\$22=	
	Independent	•	Moun	***	· <b>-</b>	$\  \ $	x41=		OR	x82=	<u> </u>
< _	FIRST PRE	SENTATION O	F MULTIPLE	DEPENDENT CL	AIM		+135=		OR	+270-	
		(Column 1)		(Column 2)	(Column 3)	•	TOTAL DOIT. FEE		OR	TOTAL ADDIT. PEE	
) =		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE	ADDI- TIONAL FEE		RATE	ADDI- TIONAL FEE
<b>LAENDMENT</b>	Total	•	Minus	**			x\$11=		OR	x\$22=	•
	Independent	4	Minus	100			x41=		ОЯ	x82=	·
<b>Č</b>	FIRST PRE	SENTATION O	FMULTIPLE	DEPENDENT CL	AGN		+135=	T	OR	+270=	
ī	the entry is only	mo 1 is less then	the entry in colu	ena 2, write "O" in col B SPACE is less than B SPACE is less than	unn S.	- 1	TOTAL DOT, FEE		OR	TOTAL ADORT, FER	





1

patent application serial no. 09/08077-4

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE FEE RECORD SHEET



PTO-1556 (5/87)

SERVAL MULTIPLE	R	FILING DATE	CLASS	GROUP ART UNIT	I ATTENDED	<u> </u>	
09/080		05/18/98	327	GROUP ART UNIT	ATTORNEY D	1	
-,	···-			-,2610	233/248		
HALU BAI	artrehnan, M Jose, Ca.	SARATOGA, CA;	ALEX DJENGUS	eriah, Saratoga, (	CA) LEIF	<b>`</b> —	
	m const ca.						fra.e
	•		•	•			*1,
					1	,	•
**CONTIN	uing Donkst D <sub>Mano</sub>	IC DATA******	*******	***			
J <del>2</del>		•		, see a			
**171 (*	 AT'L STAGE)				•		6
VETTER.	D 1648	<b>小叫宋明</b> 《《西西西南北县		•	•		1
	<del>-</del>	•	•			,	- 1
				•			·
		•					ļ
							1
							ĺ
		******					
**FOREIG		M9	•				ŀ
VERIFIE	o none	M2					ļ
	o none	M. 2					
VERIFIE	o none						
VERIFIE	o none						
JZ	none		•	-			
JZ  FOREIGN 1	o pone - Viling Licen	se granted 06/	'03/98	JE OA   SNEETA	TOTAL	I lanceru	
FORETEN P	PILING LICEN	SE GRANTED 06/ Dyne Sino Dyne Sino (Mae ata J.E.	'03/98	TE OR SHEET'S NITHY DIAWENG 9	TOTAL 37	INDEPREN	DENT
FOREIGN P ign Pitority ole and Acknowled and	TILING LICEN imagiconditions met puriodged Francisco	SE GRANTEU 06/ Dyne Mino Dyne Mino Dyne Mino Distriction	'03/98 * Akswanse				DENT
FOREIGN P ion Photity of the Color of the Co	PILING LICEN Imagiconditions met awiedged YOR TERSTATE WO	SE GRANTED 06/ Dyes Sino Dyes Sino Jac Tanada RLD CENTER	'03/98 * Akswanse				DENT
FOREIGN P ign Phority cle BC 119 ind fied and Ackno LYON & L FIRST IR 633 W FI	TILING LICEN imagiconditions met puriodged Francisco	SE GRANTED 06/ Cyre Sino Met etc 1/2 Thinse Met Met 1/2 Thinse Met 1/2 Thinse Met 1/2 Thinse Met 1/2 Thinse Met Met Met Met Met Met Met Met Met Me	'03/98 * Akswanse				DENT
FOREIGN Figure 19 10 10 10 10 10 10 10 10 10 10 10 10 10	TILING LICEN imagiconditions met periodical from TERSTATE WO FITH STREET LES CA 9007	SE GRANTEU 06/ Dyne Mino Dyne Mino Jie Se District Se	703/98  F Allowanee COU	9	37		DENT
FOREIGN P ign Pitority ole and Action LYCH & L FIRST IN 633 W FI LOS ANGE	TILING LICEN imagiconditions met periodical from TERSTATE WO FITH STREET LES CA 9007	SE GRANTEU 06/ Dyne Mino Dyne Mino Jie Se District Se	703/98  F Allowanee COU		37		DENY
FOREIGN Figure 19 10 10 10 10 10 10 10 10 10 10 10 10 10	TILING LICEN imagiconditions met periodical from TERSTATE WO FITH STREET LES CA 9007	SE GRANTEU 06/ Dyne Mino Dyne Mino Jie Se District Se	703/98  F Allowanee COU	9	37		DENT
FOREIGN P	TILING LICEN imagiconditions met periodical from TERSTATE WO FITH STREET LES CA 9007	SE GRANTEU 06/ Dyne Mino Dyne Mino Jie Se District Se	703/98  F Allowanee COU	9	37		DENT
FOREIGN Figure 19 10 10 10 10 10 10 10 10 10 10 10 10 10	PILING LICEN  PILING LICEN  Imaginations met  provided Employ  YOR  TERRITATE WO  TERRITATE WO  CONVERTER WI  FEES: Auth	SE GRANTED 06/ Diver Since the Color of the	O3/98  * Altowance CDU CA  SOFTSTART A	ND PREQUENCY JETS	37		DENY
FOREIGN F ign Priority of SEC 119 (a-4) Foreign Acknow LYON & L FIRST IN 633 W FI LOS ANGE OFFLINE	PILING LICEN  Image conditions met   principle of the pri	SE GRANTED 06/	O3/98  TAROWANOS  CA  SOFTSTART A  en in Paper DEPOSIT ACC	RD FREQUENCY JETS  AM.Free 1.16 Fe 1.17 Fe	es (Filing)	::	
FOREIGN P	PILING LICEN  PILING LICEN  Imadicant met  provided description  TERRITATE WO  TERRITATE WO  THE STREET  CONVERTER WI  FEES: Auth  No.	SE GRANTED 06/ Diver Since the Color of the	O3/98  TAROWANOS  CA  SOFTSTART A  en in Paper DEPOSIT ACC	RD FREQUENCY JETS  AM.Free 1.16 Fe 1.17 Fe	car car ca (Filing) ca (Processing )	::	

		,		Tim'" -'APPS/pre	ezandeorrespondence/
STATE OF STREET	<b>LEIS</b> -		ITED STATES DEP. tot and Trademark 0 fee: COLONIONER OF Washington, D.C. 202	Mison . Pratents and tra	
SERIAL NUMBER 09/080,774	FRING DATE 05/18/1998 RULE	CLA55 327	GROUP ART 2818	UNIT ATTO	PRNEY DOCKET NO. 233/248
ALEX DJENGUEF LEIF LUND, SAN CONTINUING DATA	HINAN, SARATOGA, CA; RIAN, SARATOGA, CA; JOSE, CA;		•		·
F REQUIRED, FOREIG 6/03/1998	N FILING LICENSE GRAI	NTED			
oreign Priority claimed 5 UBC 119 (a-4) conditions m brilled and Acknowledged Ex	yes (2) <sub>tw</sub> et (2) yes (2) no (2) Met after embret's Signature (nit	1 (4		TOTAL CLAMS 37	INDEPENDENT CLAIMS 4
2400 WILSHIRE BOUL EVENTH FLOOR OS ANGELES ,CA 900 TLE	, TAYLOR, ZAFMAN LLP, EVARO 25				
FLINE CONVERTER	WITH INTEGRATED SOF	TSTART AND FREQU	ENCY JITTER		,
FILING FEE FEES: RECEIVED No	: Authority has been given to charge/credit for following:	in Paper DEPOSIT ACCOUNT	□ <sub>1.17</sub> [	ees (Filing) ees (Processi	ing Ext. of time )
					•

# SPECIFICATION

# TITLE OF THE INVENTION

OFFLINE CONVERTER WITH INTEGRATED SOFTSTART AND FREQUENCY JITTER

# BACKGROUND

# Field Of The Invention

The field of the present invention pertains to the field of power supplies and among other things to the regulation of power supplies.

#### **Background Of The Invention**

Power supplies that convert an AC mains voltage to a DC voltage for use by integrated electronic devices, amongst other devices, are known. The power supplies are required to maintain the output voltage, current or power within a regulated range for efficient and safe operation of the electronic device. Switches that operate according a pulse width modulated control to maintain the output voltage, current, or power of the power supply within a regulated range are also known. These switches utilize an oscillator and related circuitry to vary the switching frequency of operation of the switch, and therefore regulated the power, current or voltage that is supplied by the power supply.

A problem with utilizing pulse width modulated switches is that they operate at a relatively high frequency compared to the frequency of the AC mains voltage, which results in a high frequency signal being generated by the power supply. This high frequency signal is injected back into the AC mains input and becomes a component of the AC mains signal. The

2

Express Mail No. EM563810388US Docket No: 233/248 May 18, 1998

09980774.051898

20

5

868150° 444.08660

Filed 11/13/2007

high frequency signals are also radiated by the power supply as electromagnetic waves. These high frequency signals add to the Electromagnetic Interference (EMI) of the power supply, and in fact are the largest contributors to the EMI of the power supply. The EMI generated by the power supply can cause problems for communications devices in the vicinity of the power supply and the high frequency signal which becomes a component of the AC mains signal will be provided to other devices in the power grid which also causes noise problems for those devices. Further, the radiated EMI by the power supply can interfere with radio and television transmissions that are transmitted over the air by various entities.

To combat the problem of EMI, several specifications have been developed by the Federal Communications Commission (FCC) in the United States and the European Community (EC) have established specification that specify the maximum amount of EMI that can be produced by classes of electronic devices. Since power supplies generate a major component of the EMI for electronic devices, an important step in designing a power supply is minimizing the EMI provided by the power supply to levels with the acceptable limits of the various standards. Since, a power supply can be utilized in many different countries of the world, the EMI produced should be within the most stringent limits worldwide to allow for maximum utilization of the power supply.

A known way of minimizing the EMI provided by the power supply is by adding an EMI filter to the input of the power supply. An EMI filter generally utilizes at least one inductor, capacitor and resistor in combination. However, the greater EMI produced by the power supply the larger the components that are utilized as part of the EMI filter. The cost of the EMI filter is in large part determined by the size of the inductor and capacitor utilized. The longer the

> Mail No. EM563810388US red No: 233/248

B68150.

components, the higher the cost of the power supply. Further, simply utilizing an EMI filter does not address the radiated EML

Another problem associated with pulse width modulated switches results from operation of the power supply at start up. At start up, the voltage, current and power at the output of the power supply will essentially be zero. The pulse width modulated switch will then conduct for the maximum possible amount of time in each cycle of operation. The result of this is a maximum inrush current into the power supply. The maximum inrush current is greater than the current that is utilized during normal operation of the power supply. The maximum inrush current stresses the components of power supply and switch. Stress is specifically a problem for the switch, or transistor, the transformer of the power supply, and the secondary side components of the power supply. The stress caused by the maximum invish current decreases the overall life of the power supply and increases the cost of the power supply because the maximum rating of the components used in the power supply to not destruct from the inrush currents will be greater than the maximum rating required for normal operation.

Further, when the pulse width modulated switch conducts for the maximum possible amount of time in each cycle of operation the voltage, current and power at the output of the power supply rise rapidly. Since the feedback circuit of the power supply often does not respond as fast as the operating frequency of the switch, the rapid rise of the voltage, current and power will often result in an overshoot of the maximum voltage in the regulation range which will cause damage to the device being supplied power by the power supply.

Referring to Fig. 1 a known power supply that attempts to minimize EMI and reduce startup stress is depicted. A rectifier 10 rectifies the filtered AC mains voltage 5, from EMI filter 120, input by the AC mains to generate a rectified voltage 15. Power supply capacitor 20 then

BMS63810388103

36号下50" 九人人口8约60

Filed 11/13/2007

generates a substantially DC voltage with a ripple component. The rectified voltage 15 with ripple component is provided to the primary winding 35 of transformer 40 that is used to provide power to secondary winding 45. The output of secondary winding 45 is provided to secondary rectifier 50 and accondary capacitor 55 that provide a secondary DC voltage 60 at the power supply output 65 to the device that is coupled to the power supply.

In order to maintain the secondary DC voltage within a regulate range a feedback loop including an optocoupler 70, zener diode 75 and a feedback resistor 80 provides a signal indicative of the voltage at the power supply output 65 to feedback pin 85 of pulse width modulated switch 90. The voltage magnitude at the feedback terminal is utilized to vary the duty cycle of a switch coupled between the drain terminal 95 and common terminal 100 of the pulse width modulated switch 90. By varying the duty cycle of the switch the average current flowing through the primary winding and therefore the energy stored by the transformer 40 which in turn controls the power supplied to the power supply output 65 is kept within the regulated range. A compensation circuit 105 is coupled to the feedback pin 25 in order to lower the bandwidth of the frequency of operation of the pulse width modulator,

Inrush currents are minimized at start up by use of soft start capacitor 110. Soft start functionality is termed to be a functionality that reduces the inrush currents at start up. At this instant a current begins to flow through feedback resistor 80 and thereby into soft start capacitor 110. As the voltage of soft start capacitor 110 increases slowly, current will flow through light. emitting diode 115 of optocoupler 70 thereby controlling the duty cycle of the switch. Once the voltage of the soft start capacitor 110 reaches the reverse breakdown voltage of zener diode 75 current will flow through zener diode 75. The approach described above will reduce the innish currents into the power supply, however, it will be several cycles before the light emitting diode

BORTES - F

20

115 will begin conducting. During the several cycles the maximum inrush current will still flow through the primary winding and other secondary side components. During these cycles the transformer may saturate, and therefore the transformer may have to be designed utilizing a higher core size than would be required for normal operation even with the use of soft start capacitor as in Fig. 1.

Additionally, pulse width modulated switch 90 is equipped with frequency oscillation terminals 125 and 130. Frequency oscillation terminal 125 and 130 receive a jitter current 135 that varies according to the ripple component of substantially DC voltage 25. The jitter current 135 is used to vary the frequency of the saw-toothed waveform generated by the oscillator contained in the pulse width modulated switch 90. The saw toothed waveform generated by the oscillator is compared to the feedback provided at the feedback pin 85. As the frequency of the saw toothed waveform varies, so will the switching frequency of the switch coupled between the drain and common terminal. This allows the switching frequency of the switch to be spread over a larger bandwidth, which minimizes the peak value of the EMI generated by the power supply at each frequency. By reducing the EMI the ability to comply with government standards is increased, because the government standards specify quasi-peak and average values at given frequency levels. Varying the frequency of operation of the pulse width modulated switch by varying the oscillator frequency of the oscillator is referred to as frequency jitter.

A problem associated with the EMI reduction scheme described with respect to Fig. 1 is that the ripple component will have variances due to variations in the line voltage and output load. Additionally, since the ripple may vary, design and the component value of EMI resistor

, l

Express Mail No. EM363810388139 Docket No: 233/248 May 18, 1998 5

8150\*h4440886

233/248 PATENT

Filed 11/13/2007

140 is difficult to determine and correspondingly design of the power supply becomes problematic.

# SUMMARY OF THE INVENTION

In one embodiment the present invention comprises a pulse width modulated switch comprising a switch that allows a signal to be transmitted between a first terminal and a second terminal according to a drive signal. The pulse width modulated switch also comprises a frequency variation circuit that provides a frequency variation signal and an oscillator that provides an oscillation signal having a frequency that varies within a frequency range according to the frequency variation signal. The oscillator further provides a maximum duty cycle signal comprising a first state and a second state. The pulse width modulated circuit further comprises a drive circuit that provides the drive signal when the maximum duty cycle signal is in the first state and a magnitude of the oscillation signal is below a variable threshold level.

Another embodiment of the present invention comprises a pulse width modulated switch comprising a switch comprising a control input, the switch allowing a signal to be transmitted between a first terminal and a second terminal according to a drive signal. The pulse width modulated switch also comprises an oscillator that provides a maximum duty cycle signal comprising an on-state and an off-state, a drive circuit that provides the drive signal, and a soft start circuit that provides a signal instructing said drive circuit to disable the drive signal during at least a portion of said on-state of the maximum duty cycle.

In an alternate embodiment the present invention comprises a regulation circuit comprising a switch that allows a signal to be transmitted between a first terminal and a second

Mail No. EM56381038803 ret No: 233/248

DOGESTY - USING

20

Filed 11/13/2007

terminal according to a drive signal, a drive circuit that provides the drive signal and a soft start circuit that provides a signal instructing the drive circuit to disable the drive signal.

In yet another embodiment the present invention comprises a regulation circuit comprising a switch that allows a signal to be transmitted between a first terminal and a second terminal according to a drive signal, a frequency variation circuit that provides a frequency variation signal, and a drive circuit that provides a drive signal for a maximum time period of a time duration cycle. The time duration of the cycle varies according to the frequency variation signal.

In the above referenced embodiments the pulse width modulated switch or regulation . circuit may comprise a monolithic device.

An object of an aspect of the present invention is directed to a pulse width modulated switch that has integrated soft start capabilities.

Another object of an aspect of the present invention is directed toward a pulse width modulated switch that has integrated frequency variation capabilities.

Yet another object of an aspect of the present invention is directed toward a pulse width modulated switch that has integrated frequency variation capabilities and integrated soft start capabilities.

A further object of an aspect of the present invention is directed toward a low cost regulated power supply that has both soft start and frequency variation capabilities.

This and other objects and aspects of the present inventions are taught, depicted and described in the drawings and the description of the invention contained herein.

*X* 

Express Mail No. RMS638103881/S Docket No. 213/248 May 18, 1998 09680774,051898

20

# BRIEF DESCRIPTION OF THE DRAWINGS

- Fig. 1 is a known power supply utilizing a pulse width modulated switch, and external soft start, and frequency jitter functionality.
- Fig. 2 is a presently preferred power supply utilizing an pulse width modulated switch according to the present invention.
  - Fig. 3 is a presently preferred pulse width modulated switch according to the present invention.
  - Fig. 4 is a timing diagram of the soft start operation of the presently preferred pulse width modulated switch according to the present invention.
  - Fig. 5 is a timing diagram of the frequency jitter operation of the presently preferred pulse width modulated switch according to the present invention,
  - Fig. 6 is an alternate presently preferred pulse width modulated switch according to the present invention.
  - Fig. 7 is a timing diagram of the operation of the alternate presently preferred pulse width modulated switch of Fig. 6 according to the present invention.
  - Fig. 8 is a presently preferred power supply utilizing a regulation circuit according to the present invention.
    - Fig. 9 is a presently preferred regulation circuit according to the present invention.

# DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring to Fig. 2, EMI filter 200 is coupled to an AC mains voltage 205. The AC mains voltage 205 is rectified by rectifier 210. The rectified voltage 215 is provided to power supply capacitor 220 which provides a substantially DC voltage 225. The substantially DC

Express Mail No. EM563\$10388US Docket No: 233/24\$

SETSO. 44408Bed

20

233/248 PATENT

voltage 225 is provided to the primary winding 230 of transformer 235 which stores the energy provided to the primary winding 230. When the primary winding 230 is no longer receiving energy, energy is delivered by the transformer 235 to the secondary winding 240. The voltage induced across the secondary winding 240 is rectified by rectifier 245 and then transformed into secondary substantially DC voltage 265 by secondary espacitor 260 and provided to the power supply output 267.

Energy is no longer provided to the primary winding 230 when the pulse width modulated switch 262, which is coupled to the primary winding 230, ceases conduction. Pulse width modulated switch 262 is a switch that is controlled by a pulse width modulated signal. Pulse width modulated switch 262 conducts and ceases conduction according to a duty cycle, that is in part determined by feedback from the power supply output 267. Pulse width modulated switch 262 is a switch that operates according to pulse width modulated control. Feedback to the pulse width modulated switch 262 is accomplished by utilization of feedback circuit 270, which is presently preferred to comprise a zener diode 275 in series with a resistor 280 and optocoupler 285. Optocoupler 285 provides a feedback current 290 to feedback terminal 295 of pulse width modulated switch 262. The feedback current is utilized to vary the duty cycle of a switch coupled between the first terminal 300 and second terminal 305 and thus regulate the output voltage, current or power of the power supply.

Although, it is presently preferred that the output voltage is utilized for feedback, the present invention is also capable of utilizing either the current or power at the power supply output 267 without departing from the spirit and scope of the present invention.

A portion of the current supplied at the feedback terminal 295 is utilized to supply bias power for operation of the pulse width modulated switch 262. The remainder of the current

, /0

Express Mail No. 194563810388US Docket No. 233/248 May 18, 1994 09880774.0518**9**8

input at the feedback terminal 295 is utilized to control the duty cycle of the pulse width modulated switch 262, with the duty cycle being inversely proportional to the feedback current.

A bias winding 310 is utilized to bias optocoupler 285 so that a feedback current can flow when light emitting diode 315 of optocoupler 285 conducts. The power supplied by the bias winding 310 is also used to charge pulse width modulation capacitor 330, the energy from which is utilized to power the pulse width modulated switch 262.

Overvoltage protection circuit 335 is utilized to prevent overvoltages from propagating through to the transformer 235.

Pulse width modulated switch 262 is supplied power during start up of the power supply by current flowing into the first terminal 300. An embodiment of one type of apparatus and method for designing a configuration for providing power to pulse width modulated switch through first terminal 300 is disclosed in commonly owned U.S. Patent No. 5,014,178 which is incorporated herein by reference in its entirety.

The drain terminal 300, source terminal 305 and feedback terminal 295 are the electrical input and/or output points of the pulse width modulated switch 262. They need not be part of a monolithic device or integrated circuit, unless the pulse width modulated switch 262 is implemented utilizing a monolithic device or integrated circuit.

Pulse width modulated switch 262 also may have soft start capabilities. When the device to which the power supply is coupled is switched on, a power up signal is generated within the internal circuitry of pulse width modulated switch 262. The power up signal is used to trigger soft start circuitry that reduces the duty cycle of the switch that operates within the pulse width modulated switch 262 for a predetermined period of time, which is presently preferred to be ten

es Maii No. EM563110318US Docket No. 233/248

233/248 PATENT

(10) milliseconds. Once soft start operation is completed, pulse width modulated switch 262 operates according to its regular duty cycle.

Alternatively, or in addition to soft start functionality, pulse width modulated switch 262 may also have frequency jitter functionality. That is, the switching frequency of the pulse width modulated switch 262 varies according to an internal frequency variation signal. This has an advantage over the frequency jitter operation of Fig. 1 in that the frequency range of the presently preferred pulse width modulated switch 262 is known and fixed, and is not subject to the line voltage or load magnitude variations. At low powers, those less than approximately ten (10) watts, the common mode choke which is often utilized as part of the EMI filter 120 can be replaced with inductors or resistors.

As can be seen when comparing the power supply of Fig. 1 to that of Fig. 2 the number of components utilized is reduced. This reduces the overall cost of the power supply as well as reducing its size.

Referring to Fig. 3, frequency variation signal 400 is utilized by the pulse width modulated switch 262 to vary its switching frequency within a frequency range. The frequency variation signal 400 is provided by frequency variation circuit 405, which preferably comprises an oscillator that operates at a lower frequency than main oscillator 465. The frequency variation signal 400, is presently preferred to be a triangular waveform that preferrably oscillates between four point five (4.5) volts and one point five (1.5) volts. Although the presently preferred frequency variation signal 400 is a triangular waveform, alternate frequency variation signals such as ramp signals, counter output signals or other signals that vary in magnitude during a fixed period of time may be utilized as the frequency variation signal.

11 /2

Express Mail No. EM583810388US Docket No. 233/248 May 18, 1998 のおけらり、セイイロの何も

233/248 PATENT

The frequency variation signal 400 is provided to soft start circuit 410. During operation soft start circuit 410 is also provided with pulse width modulation frequency signal 415 and power up signal 420. Soft start enable signal 421 goes high at power up and remains high until oscillator signal 400 reaches its peak value for the first time. Soft start circuit 410 will provide a signal to or-gate 425 to reset latch 430 thereby deactivating conduction by the switch 435, which is presently preferred to be a MOSFET. Soft start circuit 410 will instruct switch 435 to cease conduction when the soft start enable signal 421 is provided and the magnitude of the frequency variation signal 400 is less than the magnitude of pulse width modulation signal 415. In other words, start up circuit 410 will allow the switch 435 to conduct as long as soft start enable signal is high and the magnitude of the pulse width modulation signal 415 is below the magnitude of frequency variation signal 400 as depicted in Fig. 4. In this way, the inrush current at startup will be limited for all cycles of operation, including the first cycle. By limiting the inrush current during all cycles of startup operation, the maximum current through each of the components of the power supply is reduced and the maximum current rating of each component can be decreased. The reduction in the ratings of the components reduces the cost of the power supply. Soft start signal 440 will no longer be provided by the frequency variation circuit 405 when the frequency variation signal 400 reaches its peak magnitude.

Operation of soft start circuit 410 will now be explained. Soft start circuit 410 comprises a soft start latch 450 that at its set input receives the power up signal 420 and its reset input receives the soft start signal 440. Soft start enable signal 421 is provided to one input of soft start and-gate 455 while the other input of soft start and-gate 455 is provided with an output from soft start comparator 460. The output of soft start comparator 460 will be high when the

Express Mail No. EM563810388U Dockst No. 233/248 Mare 18, 1908

12

日本村田のアイトの日本村田

233/248 PATENT

magnitude of frequency variation signal 400 is less than the magnitude of pulse width modulation oscillation signal 415.

The pulse width modulated switch 262 depicted in Fig. 3 also has frequency jitter functionality to help reduce the EMI generated by the power supply and pulse width modulated switch 262. Operation of the frequency jitter functionality will now be explained. Main oscillator 465 has a current source 470 that is mirrored by mirror current source 475. Main oscillator drive current 615 is provided to the current source input 485 of PWM oscillator 480. The magnitude of the current input into current source input 485 of PWM oscillator 480 determines the frequency of the pulse width modulation oscillation signal 415 which is provided by PWM oscillator 480. In order to vary the frequency of pulse width modulation oscillation signal 415, an additional current source 495 is provided within main escillator 465. The additional current source 495 is mirrored by additional current source mirror 500. The current provided by additional current source 495 is varied as follows. Frequency variation signal 400 is provided to the gate of main oscillator transistor 505. As the magnitude of frequency variation signal 400 increases so does the voltage at the source of main oscillator transistor 505, due to the increasing voltage at the gate of main oscillation transistor and the relatively constant voltage drop between the gate and source of the main oscillation transistor 505. As the voltage at the source of main oscillation transistor 505 increases so does the current flowing through the main oscillation resistor 510. The current flowing through main oscillation resistor 510 is the same as the current flowing through additional current source 495 which is mirrored by additional current source mirror 500. Since, the presently preferred frequency variation signal 400 is a triangular waveform having a fixed period, the magnitude of the current input by additional current source . mirror 500 will vary linearly with the magnitude of the rising and falling edges of the frequency

13

Hapress Mail No. EM5638103088.IS Doctor Nov 233/245 May 18, 1998 variation signal 400. If the frequency variation signal 400 is a ramp signal, the frequency would linearly rise to a peak and then immediately fall to is lowest value. In this way, the current provided to current source input 485 of PWM oscillator 480 is varied in a known fixed range that allows for easy and accurate frequency spread of the high frequency current generated by the pulse width modulated switch. Further, the variance of the frequency is determined by the magnitude of the current provided by additional current source mirror 500, which is in turn a function of the resistance of main oscillation resistor 510.

Frequency variation circuit 405 includes a current source 525 that produces a fixed magnitude current 530 that determines the magnitude of the frequency of the frequency variation signal 400. Although, the presently preferred current 530 has a fixed magnitude, the frequency variation signal can be generated utilizing a variable magnitude current, if a variable current is generated the frequency spread would not be fixed in time but would vary with the magnitude of current 530. The fixed magnitude current 530 is fed into first transistor 535, mirrored by second transistor 540 and fed into third transistor 545. The frequency variation signal 400 is generated by the charging and discharging of frequency variation circuit capacitor 550. Frequency variation circuit capacitor 550 is presently preferred to have a relatively low capacitance, which allows for integration into a monolithic chip in one embodiment of the pulse width modulated switch 262. The frequency variation signal 400 is provided to upper limit comparator 555 and lower limit comparator 560. The output of upper limit comparator 555 will be high when the magnitude of the frequency variation signal 400 exceeds the upper threshold voltage 552 which is presently preferred to be four point five (4.5) volts. The output of lower limit comparator 560 will be high when the magnitude of frequency variation signal 400 exceeds lower threshold voltage 557 which is presently preferred to be one point five volts (1.5) volts. The output of

日后出下50。七人人口8屆日

20

233/240 PATENT

upper limit comparator 555 is provided to the frequency variation circuit inverter 565 the output of which is provided to the reset input of frequency variation circuit latch 570. The set input of frequency variation circuit latch 570 receives the output of lower limit comparator 560. In operation, the output of lower limit comparator 560 will be maintained high for the majority of each cycle of frequency variation signal 400 because the magnitude of frequency variation signal will be maintained between upper threshold 552, 4.5 volts, and the lower threshold 557, 1.5 volts. The output of upper limit comparator 555 will be low until the magnitude of frequency variation signal 400 exceeds upper level threshold 552. This means that the reset input will receive a high signal until the magnitude of the frequency variation signal 400 rises above the upper threshold signal 552.

The charge signal 575 output by frequency variation circuit latch 570 will be high until the frequency variation signal 400 exceeds the upper threshold limit signal 552. When the charge signal 575 is high, transistors 585 and 595 are turned off. By turning off transistors 585 and 595 current can flow into frequency variation circuit especitor 550, which steadily charges frequency variation circuit capacitor 550 and increases the magnitude of frequency variation signal 400. The current that flows into frequency variation circuit capacitor 550 is derived from current source 525 because the current through transistor 590 is mirrored from transistor 580, which is mirrored from transistor 535.

During power up, when power-up signal 420 is low, the output of inverter 605 is high which turns on transistor 600 causing frequency variation signal 400 to go low. The frequency variation signal 400 is presently preferred to start from its lowest level to perform the soft start function during its first cycle of operation.

15 6

Express Mail No. EM56381038FUS Decket No. 233/248 ĸ

のおりのアンサーロミュロシ

233/248 PATENT

Steady-state operation of the pulse width modulated switch 262, i.e. non start up operation, will now be described. PWM oscillator 480 provides pulse width modulation oscillation signal 415 to pulse width modulation comparator 609, the output of which will be high when the magnitude of pulse width modulation signal 415 is greater than the magnitude of a 5 feedback signal 296 which is a function of the input provided at feedback terminal 295. When the output of pulse width modulation comparator 609 is high or gate 425 is triggered to go high, which in turn resets pulse width modulation latch 430, removing the on signal from the control input switch 435, thereby turning off switch 435. Pulse width modulation latch 430 is set by clock signal 603, which is provided at the beginning of each cycle of pulse width modulation oscillator 480. Drive circuit 615, which is presently preferred to be an and-gate, receives the output of pulse width modulation latch 430, power up signal 420, and meximum duty cycle signal 607. As long as each one of the signals is high, drive signal 610 is provided to the gate of MOSFET 435, which is coupled between first terminal 300 and second terminal 305 of the pulse width modulated switch 262. When any of the output of pulse width modulation latch 430, power up signal 420, or maximum duty cycle signal 607 goes low drive signal 610 is no longer provided and switch 435 ceases conduction.

Referring to Fig. 4, frequency variation signal 400 preferably has a period, which is greater than that of pulse width modulated oscillation signal 415. The presently preferred period for frequency variation signal 400 is twenty (20) milliseconds, in order to allow for a smooth start up period which is sufficiently longer than the period of pulse width modulated signal 415 which is presently preferred to be ten (10) microseconds. Drive signal 610 will be provided only when the magnitude of pulse width modulated signal 415 is less than the magnitude of frequency.

16 17

Express Mail No. EM56381038803 Doctort No. 233/248 May 18, 1998

233/248

variation signal 400. Further, frequency variation signal 400 will be preferably initiated starting from low voltage when power up signal 420 is provided.

Referring to Fig. 5, frequency variation signal 400 which is presently preferred to have a constant period is provided to the main oscillator 465. The magnitude of the pulse width modulator current 615 will approximately be the magnitude of frequency variation signal 400 divided by the resistance of resistor 510 plus the magnitude of the current produced by current source 470. In this way the pulse width modulator current 615 will vary with the magnitude of the frequency variation signal 400. The result is that the frequency of pulse width modulation signal is varied according to the magnitude of this current. It is presently preferred that the pulse width modulator current source produces a constant current having a magnitude of twelve point one (12.1) microamperes, and that frequency variation signal induced current 627 varies between zero (0) and eight hundred (800) nanoamperes. Thereby spreading the frequency of operation of the pulse width modulation oscillator 480 and reducing the average magnitude and the quasipeak magnitude at all frequency levels of the EMI generated by the power supply.

Referring to Fig. 6, an alternate presently preferred pulse width modulated switch 262 includes all of the same components as described with respect to Fig. 3. In addition to these components, a second frequency variation circuit current source 660 and transistor 655 are added to the frequency variation circuit 405. Transistor 655 is activated only when the output of soft start latch 450 goes low. When transistor 655 is activated the current provided to the frequency variation circuit 405 increases as does the frequency of frequency variation signal 400. However, transistor 655 will only be turned on when the output of soft start latch 450 goes low. i.e. when the magnitude of frequency variation signal 400 first reaches the upper threshold after power up. The period of frequency variation signal 400 will then increase after its first half

DOMESTA . DELEGE

X

233/248 PATENT

cycle. This will decreases the period of the cycle during which the frequency is spread, without decreasing the frequency range. The benefit of the decreased cycle period will further decrease the quasi-peak levels of the EMI due to spending less time at each frequency level.

Referring to Fig. 7, operation of the frequency variation circuit 405 of Fig. 6 is depicted.

Frequency variation signal 406 will preferably have a period of ten (10) milliseconds for its first half cycle. After that, when the transistor 655 is turned on the period is preferably decreased to five (5) milliseconds. Pulse width modulated switch 262 is presently preferred to be a monolithic device.

Referring to Fig. 8, a power supply comprises a bridge rectifier 710 that rectifies an input AC mains voltage. Power supply capacitors 720 charge with the rectified AC mains voltage to maintain an input DC voltage 725. A presently preferred range for input DC voltage 725 is approximately one hundred (100) to four hundred (400) volts to allow for operation based upon worldwide AC mains voltages which range between eighty five (85) and two hundred sixty five (265) volts. The presently preferred power supply also includes harmonic filter components 910 which in combination with capacitors 720 reduce the harmonic current injected back into the power grid. Transformer 730 includes a primary winding 740 magnetically coupled to secondary winding 750. The secondary winding 750 is coupled to a diode 760 that is designed to prevent current flow in the secondary winding 750 when the regulation circuit 850 is conducting (onstate). A capacitor 770 is coupled to the diode 760 in order to maintain a continuous voltage on a load 780 which has a feedback circuit coupled to it. A presently preferred feedback circuit comprises an optocoupler 800 and zener diode 820. The output of optocoupler 800 is coupled to the feedback terminal 825 of regulation circuit 850. The presently preferred regulation circuit 725.

18 19

Expense Mail No. EM563810388135 Dockes No: 233/248 May 18, 1998 Gerso. h.z.usieo

233/248 PATENT

regulation circuit power supply bypass capacitor 860 is coupled to and supplies power to regulation circuit 850 when the regulation circuit 850 is in the on-state.

Operation of the power supply will now be described. An AC mains voltage is input through EMI filter 700 into bridge rectifier 710 which provides a rectified signal to power supply capacitors 720 that provide input DC voltage 725 to primary winding 740. Regulation circuit 850, which preferably operates at a constant frequency and about constant duty cycle at a given input DC voltage 725, allows current to flow through primary winding 740 during its on state of each switching cycle and acts as open circuit in its off state. When current flows through primary winding 740 transformer 730 is storing energy, when no current is flowing through primary winding 740 any energy stored in transformer 730 is delivered to secondary winding 750. Secondary winding 750 then provides the energy to capacitor 770. Capacitor 770 delivers power to the load 780. The voltage across the load 780 will vary depending on the amount of energy stored in the transformer 730 in each switching cycle which is in turn dependent on the length of time current is flowing through primary winding 740 in each switching cycle which is presently preferred to be constant at a given input DC voltage 725. The presently preferred regulation circuit 850 allows the voltage delivered to the load to be maintained at a constant level.

It is presently preferred that the sum of the voltage drop across optocoupler 800 and the reverse break down voltage of zener diode 820 is approximately equal to the desired threshold level. When the voltage across the load 780 reaches the threshold level, current begins to flow through the optocoupler 800 and zener diode 820 that in turn is used to disable the regulation circuit 850. Whenever regulation circuit 850 is in the off-state the regulation circuit power supply bypass capacitor 860 is charged to the operating supply voltage, which is presently

19 20

Express Mail No. EM563810388139 Docket No: 233/248 May 18, 1998

Filed 11/13/2007

preferred to be five point seven (5.7) volts by allowing a small current to flow from bypass terminal 865 to the regulation circuit power supply bypass capacitor 860. Regulation circuit power supply bypass capacitor 860 is used to supply power to operate regulation circuit 850 when it is in the on-state.

When the regulation circuit 850 is disabled, an open circuit condition is created in primary winding 740 and transformer 730 does not store energy. The energy stored in the transformer 730 from the last cycle of regulation circuit 850 is then delivered to secondary winding 750 which in turn supplies power to the load 780. Once the remaining energy in transformer 750 is delivered to the load 780 the voltage of the load 780 will decrease. When the voltage at the load 780 decreases below the threshold level, current ceases to flow through optocoupler 800 and regulation circuit 850 resumes operation either instantaneously or nearly instantaneously.

The presently preferred regulation circuit 850 has a current limit feature. The current limit turns off the regulation circuit 850, when the current flowing through the regulation circuit 850 rises above a current threshold level. In this way regulation circuit 850 can react quickly to changes such as AC ripple that occur in the rectified AC mains voltage, and prevents the propagation of the voltage changes to the load. The current limit increases the responsiveness of the regulation circuit to input voltage changes and delivers constant power output independent for the AC mains input voltage.

Although the presently preferred power supply of Fig. 8 utilizes current mode regulation and a feedback circuit that includes an optocoupler and zener diode, the present invention is not to be construed as to be limited to such a feedback method or circuit. Either current or voltage mode regulation may be utilized by the present invention without departing from the spirit and


Mail No. PACSGERIOSEUS

20150-44208560

5

20

09980774.051898



233/248

scope of the present invention so long as a signal indicative of the power supplied to the load is supplied to the feedback terminal 825 of the regulation circuit 850. Additionally, although the presently preferred power supplies both utilize an optocoupler and zener diode as part of feedback circuits other feedback circuits may be utilized by the present invention without departing from the spirit and scope of the present invention.

Regulation circuit 850 also may have integrated soft start capabilities. When the device to which the power supply is coupled is switched on, a power up signal is generated within the internal circuitry of regulation circuit 850. A power up signal is used to trigger soft start circuitry that reduces the duty cycle of the switch that operates within the pulse width modulated switch 262 for a predetermined period of time, which is presently preferred to be ten (10) milliseconds. Once soft start operation is completed, regulation circuit 850 operates according to its regular duty cycle.

Alternatively, or in addition to soft start functionality, regulation circuit 850 may also have frequency jitter functionality. That is, the switching frequency of the regulation circuit 850 varies according to an internal frequency variation signal. This has an advantage over the frequency jitter operation of Fig. 1 in that the frequency range of the presently regulation circuit 850 is known and fixed, and is not subject to the line voltage or load magnitude variations.

Referring to Fig. 9, frequency variation circuit 405 and main oscillator 465 function as described with respect to Fig. 3. In operation it is the variance of the high and low states of maximum duty cycle signal 607 that generates the frequency jitter functionality of the regulation circuit 850. A presently preferred regulation circuit 850 and its steady-state operation is depicted and described in copending patent application serial No. 09/032,520 which is hereby incorporated by reference in its entirety.

21 72

09980774.051898

233/248 PATENT

The regulation circuit of Fig. 9 can be modified to include a second current source to further increase the period of main oscillation signal 415 which achieves the same result and function as described with respect of Figs. 6 and 7.

The soft start functionality of the presently preferred regulation circuit 850 of Fig. 9, will shorten the on-time of switch 435 to less than the time of the maximum duty cycle signal 607 as long as the soft start enable signal 421 is provided and the magnitude of frequency variation signal 400 is less than the magnitude of main oscillation signal 415.

The presently preferred regulation circuit 850 preferably comprises a monolithic device.

While the embodiments, applications and advantages of the present invention have been depicted and described, there are many more embodiments, applications and advantages possible without deviating from the spirit of the inventive concepts described herein. Thus, the inventions are not to be restricted to the preferred embodiments, specification or drawings. The protection to be afforded this patent should therefore only be restricted in accordance with the spirit and intended scope of the following claims.

Express Mail No. EMS63810388US Docket No: 233/248 May 18, 1998

n 93

233/248 PATENT

# CLAIMS

#### What is Claimed Is:

- 1. A pulse width modulated switch comprising:
- · a first terminal;
- a second terminal;

Bestso" hizostos

20

- a switch comprising a control input, said switch allowing a signal to be transmitted between said first terminal and said second terminal according to a drive signal provided at said control input;
- a frequency variation circuit that provides a frequency variation signal;

  an oscillator that provides an oscillation signal having a frequency range, said frequency
  of said oscillation signal varying within said frequency range according to said frequency
  variation signal, said oscillator further providing a maximum duty cycle signal comprising a first
  state and a second state; and
- a drive circuit that provides said drive signal when said maximum duty cycle signal is in said first state and a magnitude of said oscillation signal is below a variable threshold level.
- 2. The pulse width modulated switch of claim 1 wherein said first terminal, said second terminal, said switch, said oscillator, said frequency variation circuit and said drive circuit comprise a monolithic device.
- The pulse width modulated switch of claim 1 wherein said frequency variation circuit comprises an additional oscillator that provides said frequency variation signal to said

23 24

Express Mail No. EM563810085US Docket No: 233/248 May 18, 1998

233/248 PATENT

oscillator, said frequency of said oscillation signal varying within said frequency range according to said frequency variation signal.

4. The pulse width modulated switch of claim 1 further comprising a soft start

5 circuit that provides a signal instructing said drive circuit to discontinue said drive signal when a magnitude of said oscillation signal is greater than a magnitude of said frequency variation signal.

- 5. The pulse width modulated switch of claim 4 wherein said additional oscillator
  10 operation provides a soft start signal, and wherein said soft start circuit ceases operation when said soft
  D start signal is removed.
  - 6. The pulse width modulated circuit of claim 5 wherein said additional oscillator

    further comprises
- a comparator that provides a comparator signal when a magnitude of a reference signal is

  greater than or equal to a magnitude of said frequency variation signal, and

  an inverter that receives said comparator signal and provides said soft start signal.
- The pulse width modulated switch of claim 1 wherein said frequency of said
   oscillation signal varies within said frequency range with a magnitude of said frequency
   variation signal.

24 25

Express Mail No. EA/563810388US Docket No: 233/248 May 18, 1998

PATENT

- The pulse width modulated switch of claim 1 wherein said oscillator comprises a an input that receives said frequency variation signal and a current source, wherein said frequency of said oscillation signal is a function of a sum of a magnitude of a current provided by said current source and a magnitude of said frequency variation signal.
- The pulse width modulated switch of claim I further comprising a rectifier comprising a rectifier input and a rectifier output, said rectifier input receiving an AC mains signal and said rectifier sutput providing a rectified signal;

a power supply capacitor that receives said rectified signal and provides a substantially

a first winding comprising a first terminal and a second terminal, said first winding receiving said substantially DC signal, said second terminal of said first winding coupled to said first terminal of said pulse width modulated switch; and

winding magnetically coupled to said first winding, said first winding capable of being coupled to a lead.

The pulse width modulated switch of claim 1 wherein said variable threshold level is a function of a feedback signal received at a feedback terminal of said pulse width modulated switch.

20 A pulse width modulated switch comprising a first terminal; a second terming

サイムロ母語も日

5663150

233/248

Filed 11/13/2007

a switch comprising a control input, the switch allowing a signal to be transmitted between said first terminal and said second terminal according to a drive signal provided at said control input;

an oscillator that provides a maximum duty cycle signal comprising an on-state and an off-state;

a drive circuit that provides said drive signal according to said maximum duty cycle signal; and

a soft start circuit that provides a signal/instructing said drive circuit to disable said drive signal during at least a portion of said on-state of said maximum duty cycle.

- toll switch of claim !! wherein said a first terminal, said 12. The pulse width module second terminal, said switch, said osci ator, said drive circuit and said soft start circuit comprise a monolithic device.
- The pulse width modulated switch of claim 11 further comprising an additional oscillator that provides a soft start signal to said soft start circuit, and wherein when said soft start signal is removed said soft start circuit ceasing operation.
- The pulse/width modulated circuit of claim 13 wherein said additional oscillator 20 further comprises

a comparator that provides a comparator signal when a magnitude of a reference signal is greater than or equal to a magnitude of said frequency variation oscillation signal, and an inverter that receives said comparator signal and provides said soft start signal.

> Mail No. EMS63810388US scient No: 233/248 May 18, 1998

1982777,47738860

20

- The pulse width modulated switch of claim 11 fighther comprising a frequency variation circuit that provides a frequency variation signal, wherein said oscillator provides an oscillation signal and wherein said soft start circuit provides said signal instructing said drive circuit to disable said drive signal when a magnitude of said oscillation signal is greater than a magnitude of said frequency variation signal.
- The pulse width modulated switch of Etaim 15 wherein said oscillator comprises an input that receives said frequency signal and said oscillation signal comprises a frequency range, and wherein said frequency of said oscillation signal varies within said frequency range according to a magnitude of said frequency yanation signal.
- The pulse width modulated witch of claim 16 wherein said oscillator further comprises a current source, wherein said frequency of said oscillation signal is a function of a sum of a magnitude of a current provided by said current source and said magnitude of said frequency variation signal.
- The pulse width medulated switch of claim 11 further comprising a rectifier comprising a rectifier input and a rectifier output, said rectifier input receiving an AC mains signal and said restifier output providing a rectifier signal;
  - a power supply capacifor that receives said rectified signal;

a first winding complising a first terminal and a second terminal, said first winding receiving a substantially DC signal from said power supply capacitor, said second terminal of said first winding coupled to said first terminal of said pulse width modulated switch; and

il No. EM563810388139

a second winding magnetically coupled to said first winding, said first winding capable of

- 19. A regulation circuit comprising
- 5 a first terminal;

日本名下50°九人人口8日60

- a second terminal;
- a switch comprising a control input, said switch allowing a signal to be transmitted between said first terminal and said second terminal according to a drive signal provided at said control input;

a drive circuit that provides said drive signal for a maximum time period of a cycle; and a soft start circuit that provides a signal instructing said drive circuit to disable said drive signal during at least a portion of said maximum time period.

- 20. The regulation circuit of claim 19 further comprising an oscillator that provides a maximum duty cycle signal to said drive circuit, said maximum duty cycle signal comprising an on-state for said maximum time period.
- 21. The regulation circuit of claim 20 further comprising a frequency variation circuit that provides a frequency variation signal, wherein said oscillator provides an oscillation signal and wherein said soft start circuit provides said signal instructing said drive circuit to disable said drive signal when a magnitude of said oscillation signal is greater than a magnitude of said frequency variation signal.

Express Mali No. EM567810385LS Docket No. 233/248 四日四日二十八八日日日日日日

- 22. The regulation circuit of claim 19 further comprising an additional oscillator that provides a soft start signal to said soft start circuit, and wherein when said soft start signal is removed said soft start circuit ceasing operation.
- 5 23. The regulation circuit of claim 22 wherein said additional oscillator further comprises

a comparator that provides a comparator signal when a magnitude of a reference signal is greater than or equal to a magnitude of said additional oscillation signal, and an inverter that receives said comparator signal and provides said soft start signal

- 24. The regulation circuit of claim 19 further comprising a frequency variation circuit that provides a frequency variation signal and wherein said maximum time period varies according to a magnitude of said frequency variation signal.
- 25. The regulation circuit of claim 19 further comprising a feedback terminal and wherein when a signal is received at said feedback terminal said drive signal is discontinued for at least one cycle.
- 26. The regulation circuit of claim 19 wherein said first terminal, said second terminal, said oscillator and said soft start circuit comprise a monolithic device.

Express Mail No. EM363816388618 Docket No: 233/248 May 18, 1998 5

DOBECTT. PTTDBECO

233/248

Filed 11/13/2007

- The regulation circuit of claim 26 further comprising a corrent limit circuit that provides a signal instructing said drive circuit to discontinue said drive signal when a current received at said first terminal of said regulation circuit is above a threshold level.
  - The regulation circuit of claim 19 further comprising

a rectifier comprising a rectifier inpox and a rectifier output, said rectifier input receiving an AC mains signal and said rectifier output providing a rectifier signal;

a power supply capacitor that receives said rectified signal;

a first winding comprising a first terminal and a second terminal, said first winding receiving a substantially DC signal from said power supply capacitor, said second terminal of said first winding coupled to said first terminal of said regulation circuit; and

a second winding magnetically coupled to said first winding, said first winding capable of being compled to a load.

A regulation circuit comprising:

a first terminal;

ing a control input, said switch allowing a signal to be transmitted between said first emninal and said second terminal according to a drive signal provided at said control input; and

mency variation circuit that provides a frequency variation signal;

a drive circuit that provides said drive signal for a maximum time period of a time duration cycle;

> ia. IBM5638103887.19 4 No: 233/268

wherein said time duration of said cycle varies according to said frequency variation

のほびアント・ロミュをいる

The regulation circuit of claim 29 wherein said frequency variation circuit

comprises an oscillator that provides said frequency variation signal

egulation circuit of claim 29 further comprising a soft start circuit that hal instructing said drive circuit to discontinue said drive according to a magnitude quency variation signal.

The regulation circuit of claim 21 further wherein said frequency variation circuit provides a soft start signal, and wherein said soft start circuit ceases operation when said soft start signal is removed.

The regulation circuit of claim 32 wherein said frequency variation circuit further comprises

a comparator that provides a comparator signal when a magnitude of a reference signal is greater than or equal to a magnitude of said frequency variation signal, and

an inverter that receives said comparator signal and provides said soft start signal.

20 The regulation circuit of claim 25 wherein said first terminal, said second terminal, said switch, said frequency variation circuit, and said drive circuit comprise a monolithic device.

es Medi No. EM563810388US

Filed 11/13/2007

The regulation circuit of claim 29 further comprising

a rectifier comprising a rectifier input and a rectifier output, said rectifier input receiving an AC mains signal and said rectifier output providing a rectified signal;


a power supply capacitor that receives said rectified signal and provides a substantially

a first winding comprising a first terminal and a second terminal, said first winding receiving said substantially DC signal, said second terminal of said first winding coupled to said first terminal of said regulation circuit; and


and winding magnetically coupled to said first winding, said first winding capable of being osupled to a load.

The regulation circuit of claim 29 further comprising a current limit circuit that provides a signal instructing said drive circuit to discontinue said drive signal when a current received at said first terminal of said regulation circuit is above a threshold level.


The regulation circuit of claim 29 further comprising a feedback terminal and hal is received at said feedback terminal said drive signal is discontinued for





858T50- 42208060




Express Mail No. EM561810388US Docket No: 233/248 May 18, 1998










Express Mail No. El4553\$163\$203 Docket No: 213/248 May 18, 1998





233/248 PATENT





PATENT

Filed 11/13/2007

## **ABSTRACT**

A pulse width modulated switch comprises a first terminal, a second terminal, and a switch that allows a signal to be transmitted between the first terminal and the second terminal according to a drive signal provided at a control input. The pulse width modulated switch also 5 comprises a frequency variation circuit that provides a frequency variation signal and an oscillator that provides an oscillation signal having a frequency of that varies within a frequency range according to the frequency variation signal. The oscillator further provides a maximum duty cycle signal comprising a first state and a second state. The pulse width modulated switch further comprises a drive circuit that provides the drive signal when the maximum duty cycle signal is in the first state and a magnitude of the oscillation signal is below a variable threshold level.

868T50\* 14208460

74 .OS1898

# DECLARATION AND POWER OF ATTORNEY **Utility Application**

LYON & LYON ILF

233/248

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (If only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled "OFF-LINE CONVERTER WITH INTEGRATED SOFTSTART AND FREQUENCY HTTER", the specification of which Check One

31) -	is attached hereto. was filed on	a
	Application Serial No.	
	and was amended on	

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, a 1.56(a). I hereby claim foreign priority benefits under Title 35, United States Code, a 119 of any foreign application(s) for patient or inventor's certificate fisted below and have also identified below any foreign application for patient or inventor's certificate having a filing date before that of the application on which priority is claimed.

			Priority Claimed	
Application Number	Country	Date of Filing	Yes%	No%
				• •
	<b>{</b>			

I hereby claim the benefit under Title 35, United States Code, a 120 of any United States applications) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, a 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, a 1.56(a) which occurred between the filling date of the prior application and the national or PCT international filling date of this application.

E	Application Number	Date of Filing	Status-Patented, Pending or Abandoned

POWER OF ATTORNEY: As a named inventor, I hursby appoint as my attorneys, with full powerocation, to prosecute this application and transact all business in the Patent and Trademark Offic Roland N. Smoot, Reg. No. 18,718; Contrad R. Solum, Rr. Reg. No. 20,467; James W. Gerlak, Reg. Taylor, R. Reg. No. 29,464; Samuel B. Stone, Reg. No. 29,775; Robert C. Weiss, Reg. No. 24,939; Richard E. Lyon, Rr., Reg. No. 26,300; John D. 26,775; William C. Steffin, Reg. No. 26,811; Coe A. Bloomberg, Reg. No. 26,5615; Coe A. Reg. No. 29,514; Roy L. Anderson, Reg. No. 30,260; David B. Murphy, Reg. No. 31,765; Jernold B. No. 29,578; Jernold M. Reg. No. 32,745; John A. Rathey, Jr., Reg. No. 31,563; Renneth H. Ohriner, Reg. Consalvi, Reg. No. 32,212; Los M. Kwasignord, Reg. No. 31,579; Larmench R. Larden, Reg. No. 34,607; Richard J. Warburn, Reg. No. 32,227; David T. Burse, Reg. No. 31,676; Reg. No. 34,607; Richard J. Warburn, Reg. No. 32,227; David T. Burse, Reg. No. 37,676; Griny A. Bernard F. Rose, Reg. No. 84,511; Michael J. Bolan, Reg. No. 87,42,339; Lynn Y. McKernan, R. Drinky R. Millikovsky, Reg. No. 7,41,999.


DPOA.UC±	Epdate 4/97


DPOA.Ut1

ACCOUNTS PROTOCOLOGY Address Saratoga State or Country 250 Code 95070  THE NAME OF REST Name Alex Saratoga State or Country 95070  THE SARAME OF REST Name Alex Saratoga Same or Frender Country California States of Camerica Country Accountry 2002 Service Accountry 2002 Service Of Saratoga Saratoga Saratoga Saratoga United States of America California Service California		RELINANE OF PIVENTOR	rest Home Ballu	artidle initalte	LAST Name Balakir	shnan
SULL NAME OF SWITCH PART Name Alex  SINDENCS ON SATISTICS  SINDENCS ON SATISTICS  SINDENCS ON SATISTICS  SATIST  SATIST	201	CINCOMP CITY	civ Saratoga	Sale or Fundan Country California	County of Crismitis States of Americ	United
DET Name  OF STREET PART Name  DESTORACE  POST OFFICE  POST OFFICE Address  2005 OFFICE  POST OFFICE Address  2006 OF STREET Name  Dest District Address  POST Name  Leif  Middle initiable  Sama or Foreign Country  California  Dest District Address  Dest District		POST OFFICE ADDRESS	Peut Office Address 13917 Albar Court	Civ Saratoga	Sun or Country California	75070 95070
California States of America  POST OFFICE Post Office Address 206.02 Servilla Larve Saratoga California 95.07.0  MALAMANE CONTROL FIRST Name Leif Middle inhibite LAST Hame LUTID  MALAMANE CONTROL FIRST Name Leif Middle inhibite LAST Hame LUTID  MALAMANE CONTROL FIRST Name Leif Middle inhibite LAST Hame LUTID  MALAMANE CONTROL CONTRO		ILIL NAME OF SIVENFOR	nen Nama Alex	Entitle tribleto	Diengi	uerian
PART Name Left  Serious California  203 Serious California  EXPONENT A Cay San Jose  Post Citize Address 10.74 Queendorook Drive  Cy San Jose Sum or Country California  204 California  PREST Name 10.74 Queendorook Drive  Cy San Jose Sum or Country California  205 California  206 California  207 California  207 California  208 Sum or Country California  209 California  209 California  200 California  200 California  200 California  200 California  201 Care Sum or Country California  201 Care California  202 California  203 Care Country  Country of Chiannelly  Country of Chiannelly  Country of Chiannelly  Care Country  Care Co	202	REPORTS &	city Saratoga	Sub or Familia County Callifornia	County of Chlomble States of Americ	United 2
STREET OFFICE PORT OFFICE PORT Office Address Only Superinsip Street Street of Street		POST OFFICE ADDRESS	20602 Sevilla Lane	Cy Saratoga	California	7a Cada 95070
POST GETTICE  POST CHIEF THEM THEM AND THE THEM AND THE THEM THEM THE THEM THEM		OF HEVERSOR	FIRST Name Leif	Middle Ballalia	LAST Hame Lund	
PRELIMANE OF RAYSMOR  OF RAYSMOR  CITY State  City  State or Foreign Country  Country of Chimenhip  Country  Country of Chimenhip  POST OFFICE Post Office Address  City  State or Foreign Country  Typ Circle  State or Country  Typ Circle  Typ Circle  State or Country  Typ Circle  Typ Circle  Typ Circle  Typ Circle  State or Country  Typ Circle  Ty	205	SERIOPICI T	.cay San Jose	Some or Foreign Country California	County of Chizondalp	Sweden
204 EXEMPTION C.S. City  POST OFFICE Post Office Address  City  State or Foreign Governy  Post office of Delice Address  City  State or Foreign Governy  State or Country  Exp Cities  (durpher decises that all statements mide bends of my cowe languisdays not use and that all statements made on information and believed to be two and fast by the statements of the statement		POST OFFICE ADDRESS	Not Office Address 1074 Queensbrook Drive	City San Jose	State or Country California	Ze Code 95129
204 CRESISSE Plat Office Address Ory State or Country Country Typical Plat Office Address Ory State or Country Typical Plat Office Address Ory State or Country Typical Plat Office Address Ory State or Country Typical Plat Office Address Ory of the State State Office Address ADDRESS Plat Office Address		RALL NAME OF PREPATOR	FRST Name	Adddin Indialis)	UAST Name	
Appearance of Invertor   Signature   Signa	204	KENDOKCE & CILENSIN	City	State or Foreign Country	County of Originality	• 1
Signature of invertor Rale Relation  Data 5-14-98  Signature of invertor Rale Discussion  Data 5/14/98  Signature of invertor Rale Discussion  Data 05-14-98						
	<del>,</del>				<u> </u>	1
	Sign 201 Date 201 Det 302 Det	refection that all states as statements were related States in the of United States in the other states of Investment of Investm	Bala Balalus  "Rala Bala Balalus  "Rala Balalus  "R	ivez and flust sill statements made on inference rents and the lifes so made are pusidificable by jeoparding the validity of the application or	<u> </u>	1


09080774.051898


<u>Power Integrations</u> , <u>Inc.</u> , assignees) of the application for United States Letters Patent for a <u>*OFF-</u> LINE CONVERTER WITH INTEGRATED SOFTSTART AND FREQUENCY SITTER"				
by Balu Balakirshnan. Alex Dienguerian and Lief Lund				
executed on even date herewith, or having Serial No filed				
a copy of the assignment of which is attached hereto, doles) hereby appoint as attorneys of record with full power of substitution and revocation, to prosecute this application and transact all business in the Patent and Trademark Office connected therewith; Roland N. Smoot, Reg. No. 18,718; Conzad R. Solum, Jr., Reg. No. 20,467; James W. Geriak, Reg. No. 20,2437; Robert M. Taylor, Jr., Reg. No. 19,846; Samuel B. Stone, Reg. No. 19,297; Ooegias E. Oriem, Reg. No. 25,798; Robert E. Lyon, Reg. No. 24,171; Robert C. Weies, Reg. No. 24,939; Richerd E. Lyon, Jr., Reg. No. 26,300; John D. McConighy, Reg. No. 25,713; William C. Steffin, Reg. No. 26,111; Con A. Bloomberg, Reg. No. 25,605; J. Donald McCarby, Reg. No. 25,119; John M. Benassi, Reg. No. 27,483; James H. Shalet, Reg. No. 29,449; Alfan W. Jamen, Reg. No. 23,395; Robert W. Dichesson, Reg. No. 29,9914; Roy L. Anderson, Reg. No. 30,240; David B. Musphy, Reg. No. 31,125; James C. Brooks, Reg. No. 29,696; Jaffrey M. Ohan, Reg. No. 30,790; Steven D. Hemminger, Reg. No. 30,275; Jeroid B. Refly, Reg. No. 32,293; Paol H. Meter, Reg. No. 32,274; John A. Rafter), R. Reg. No. 31,659; Many S. Consalvi, Reg. No. 32,212; Lob M. Kyadigroch, Reg. No. 35,579; Lavernou R. LaPorre, Reg. No. 36,904; C. Lamannon, Reg. No. 34,004; M. Schedder, Reg. No. 32,232; David T. Burse, Reg. No. 37,104; Jeffrey A. Miller, Reg. No. 34,2874; Michael J. Wise, Reg. No. 44,047; Richael J. Walberg, Reg. No. 32,327; David T. Burse, Reg. No. 37,104; Jeffrey A. Miller, Reg. No. 33,287; Bennard F. Rose, Reg. No. F-42,112; Michael J. Bohen, Reg. No. 7-42,339; Lynn Y. McKernan, Reg. No. 8-41,996; and Dmitry R. Miller, Reg. No. 8-41,996; and Dmitry R. Miller, Reg. No. 8-41,999.				
Send Correspondence to:  LYON & LYON LLP  First Interstate World Center  47th Floor, 633 W. Fifth St.  Los Angeles, CA 90071-2066  Direct Telephone Calls to:  Dmitry R, Milikovsky, Esg.  (408) 993-1555				
I, the undersigned, declare that I am the (an) assignee of the above-identified application or, if the assignee is a corporation, partnership or other association, I am authorized to make this appointment on behalf of the assignee and I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that these statements were made with the knowledge that willfuf false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.				
Full Rame of				
Assignee Power integrations, Inc. Post Office				
Address 477 North Math Jida Artone, Sunnyvale, California 94086				
Signature of Declarate or Balla BelaCurlina Dete: May 14, 1998  Assignate				
Full Name of Declarent If Other Yean Assignee Balsa Balakirshnan				
Title of Declarant Vice-President, Marketing and Engineering				
Address of Declarant 13917 Albar Court, Saratoga, California 99070				
POA.frm Update 4/97				







Mail No. EM363810388US Docket No: 233/248 May 18, 1998







36






Engress Mail No. EM563819388US Docket No: 233238 May 18, 1998









233/248 PATENT

Sestio, 44208060







Assistant Commissioner for Patents and Trademarks Hashington, B. C. 2029)

		NEW APPLICATION TRANSMITTAL
	Str:	, <del></del>
	Transa	mitted herewith for filing is the utility patent application of:
		Inventor(s): Balu Balakirshnan; Alex Djerguerian; Leif Lund
		For: OFF-LINE ONVERTER WITH INTEGRATED SOFTSTART AND FREQUENCY JITTER
Ď	1.	Type of Application
Ö		This new application is for a(n):
8150.44.080b		
<u>17</u>	2.`	Papers Enclosed · ·
10 10		X page(s) specification: 10 page(s) claims; 1 page(s) abstract
Ď		X 9 sheets of drawing (X informal formal)
		Y Declaration and Power of Attorney (X combinedseparate)
		Y Power of Attorney
•		Verified Statement establishing "Small Entity" under 37 CFR \$5 1.9 and 1.27  Already filed.  3 Other than a Small Entity.
		X Assignment Recordation Cover Sheet
		Assignment of the invention to: Power Integrations, Inc.
	`а.	Fee Calculation
	The fi	iling fee has been calculated as shown below:

### Attorney Docket No. 233/248

Filed 11/13/2007

-Statutory Basic Filing Fee (\$790.00) \$ 790.00 -Total Claims \_37\_ - 20 - \_17\_ x \$22 \$ 374,00 -Independent Claims 4 - 3 - 1 x 180 \$ 80.00 -Multiple Dependent Clarks(s) (\$260) -Surcharge 37 CFR 1.16(e) TOTAL OF ABOVE CALCULATIONS -Reduction & for filing by Small Entity -Assignment (\$40) \$ 40.00 TOTAL FEES

Hethod of Payment of Fees

- Check <u>\$ 44209</u> in the amount of <u>\$ 1.284.00</u> to cover the above fees are enclosed.
- The Commissioner is hereby authorized to charge any deficiency of fees associated with this communication or credit any overpayment to Deposit Account 12-2475.
- Authorization to Charge Additional Fees
  - The Commissioner is hereby authorized to charge the following additional fees by this paper and during the entire pendancy of this application to Account No.  $\underline{12.2475}$ .
    - 1 37 CFR 1.16(a) or (g) (Filing Fees)

    - 37 CFR 1.16(e) (Surcharge for filing the basic filing fee and/or Beclaration on a data later that the filing date of the application)
    - X 37 CFR 1.17 (Any Application Processing Fees)

Date: May 18, 1998

BESTED. #2208DFG

On My R. Hi Tikovsky Rag. No. P-41,999

LYON & LYON up 633 West Fifth Street **Suite 4700** Los Angeles, CA 90071-2066 (408) 993-1555

Page -2- sf -2-



233/248 PATENT # 3

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Group Art Unit:

2816

Balu Balakirshnan

Examiner: Not yet assigned

Serial No. 09/080,774

RECEIVED

Filed: May 18,1998 JUL 2 8 1998

For: OFF-LINE CONVERTER WITH INTEGRATED SOFTSTART AND **GROUP 2500** 

FREQUENCY JITTER

### INFORMATION DISCLOSURE STATEMENT

**Assistant Commissioner for Patents** Washington, D.C. 20231

Dear Six:

In accordance with 37 C.F.R. § 1.56 and 1.97, Applicant hereby discloses to the Patent Office patents, publications or other information of which Applicant is aware. A copy of the patents and other materials along with a Form 1449 are submitted herewith.

The items identified in this Information Disclosure Statement may or may not be "material" as defined in 37 C.F.R. § 1.56 and the submission thereof by Applicant is not to be construed as an admission that such items referred to are material or considered to be material (37 C.F.R. § 1.97(h)), or even qualify as "prior art" under 35 U.S.C. § 102 with respect to this invention unless specifically designated by Applicant as such. Identification of any reference or patent having an issue date or a publication date after the statutory bar date is not

233/248 PATENT

Filed 11/13/2007

an admission, nor is it to be construed as an admission, that it was invented prior to the invention disclosed herein.

The filing of this Information Disclosure Statement is not to be construed to mean that a search has been made or that no other material information, as defined in 37 C.P.R. § 1.56, RECEIVED exists. JUL 2 8 1998

No Fee Required

**GROUP 2500** 

This information disclosure statement is being filed before the mailing of the first Office Action on the merits for this application, thus no fees or certification is required at this time. Please charge any required fee or credit any overpayment to our deposit account number 12-2475 for the processing of this information disclosure statement. An additional copy of this information disclosure statement is enclosed.

> Respectfully submitted, LYON & LYON UP

Dated: July 8, 1998

Dmitry R. Milikovsky Reg. No. P- 41,999

633 West Fifth Street, 47th Ploor Los Angeles, CA 90017-2066 Phone: (408) 993-1555

Fax: (408) 287-2664



RECEIVED

JUL 2 8 1998

233/248 Patent

**GROUP 2500** 

## CERTIFICATE OF MAILING UNDER 37 CFR 1.8(a)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the data shown below with sufficient postage as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Washington, D.C. 20231. ¥

Dated: July 14, 1998

FORM PTO-1449				ATTY, DOCKET NO.		SERIAL NO.		
LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S				CANTE	233/248 09/080,774			
431		MATION DISCLOSURE			APPLICANT:	· · <b>v</b>		
	na om		AIMIENER	•	Power Integrati	ons, Inc.		
	a	Use several sheets if ne	cessary)	•	FILING DATE:	1	GROUP:	
		<b>15 3</b>			May 18, 1998		2816	
<del> </del>		/ 3						<del> </del>
	<del></del>	JUL 2 3 1996 5	U.S. P.	ATENT DOCU	MENTS			
EXAMINER INITIAL		DOCUMENT HUNGER	DATE		NAME .	a.ss	CLASS	FILING DATE
J2	M	3,491,252	1/20/70	Petrohilos		307	229	11/16/64
JZ	AB	3,555,399	1/12/71	Buchanan et a	i	321	43	11/16/67
JZ	AC	3,840,797	10/8/74	Aggen et al		321	2	12/26/70
75	AD	3,916,224	10/28/75	Daniels et al		307	265	8/2/73
J2	AE	4,072,965	2/7/78	Kondo		354	51	3/15/76
JZ	AF	4,143,282	3/6/79	Berard, Jr. et a	si	307	43	12/3/76
JZ	٨G	4,228,493	10/14/80	de Sartro et al	<u> </u>	363	56	12/21/78
)2	АН	4,236,198	11/25/80	Ohsawa et al		363	49	12/11/78
JZ	AL	4,495,554	1/22/85	Simi et al		363	21	3/28/83
12	A	4,559,590	12/17/85	Davidson	,	363	21	3/24/83
JZ	AK	4,622,627	11/11/86	Rodriguez et	<u>al</u>	363	37	2/16/84
12	AL.	4,695,936	9/22/87	Whittle	• .	363	21	2/7/86
JZ	AM	4,706,176	11/10/87	Kettschau		363	21	7/7/86
JZ	AN	4,706,177	11/10/87	Josephson	- <del></del>	363	24	11/14/85
JZ	100	4,720,641	1/19/88	Falni		307	18	1/19/88
12	AP	4,725,769	2/16/88	Cini et al		323	283	4/9/87
JZ	AQ.	4,734,B39	3/29/88	Barthold		363	16	3/23/87
JZ	AR	4,739,462	4/19/88	Famsworth et	al	363	21	12/26/84
JZ	AS	4,806,844	2/21/89	Claydon et al		323	311	6/17/88
JZ	AT	4,809,148	2/28/89	Bam		363	20 .	10/21/67
JZ	ΛU	4,811,184	3/7/89	Koninsky et å	<u> </u>	363	17	5/10/88
<u>J2</u>	AV	4,814,674	3/12/89	Hrassky	<del> </del>	318	254	3/25/87
12	AW	4,858,094	8/15/89	Barlage		363	21	10/18/88
JZ	AX	4,862,339	8/29/89	inou et al		363	21	3/31/88

Page 1 of 4

FORM PTC	OF PATE	ENTS AND OTHER ITEM	STATEMEN	T	ATTY. DOCKET 1233/248 APPLICANT: Power Integrate		SERIAL NO. 09/080,774	
· 		(Use several sheets if ne	cessary)	01PE	FILING DATE: May 18, 1998	ons, sic.	GROUP: 2816	
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	<i>\$</i> /	VAME	CLASS	SUB CLASS	FILING DATE
J <del>2</del>	AY	4,866,590	9/12/89	Odaka et al		363	49	7/28/88
JZ	۸Z	4,870,555	9/26/89	White		363	21	10/14/88
J2	ВА	4,887,199	12/12/89	Whittle		363	49	9/22/87
JZ	68	4,888,497	12/19/89	Dallabora et a	1	307	272.3	4/28/88
JZ	BC	4,890,210	12/26/89	Myers		363	21	11/15/88
JZ	BD	4,928,220	5/22/90	White		363	56	10/14/88
JZ	BE	4,937,728	6/26/90	Leonardi		363	97	-10/19/89
JZ	BF	4,943,903	7/24/90	Cardwell. Jr.	•.	363	97	7/24/90
12	BG	5,012,401	4/30/91	<b>Barladge</b>		363	97	3/19/90
15	BH	5,014,178	5/7/91	Balakrishnan		363	49	5/14/90
L JZ	BI	5;034,871	7/23/91	Okamoto et a	1	363	15	3/26/90
JZ	Bj	5,041,956	8/20/91	Marinus		363	21	2/12/90
JZ	BK	5,072,353	12/10/91	Feldkeller		363	20	10/1/90
JZ	8L	5,086,364	2/4/92	Leipold et ai		361	18	2/19/91
JZ	BM	5,146,394	9/8/92	Ishii et al		363	16	6/22/90
12	BN	5,161,098	11/3/92	Balakirshnan		363	144	9/9/91
JE JZ J2	ВО	5,177,408	1/43 7/19/91	Marques		315	291	1/5/93
JZ_	86	5,200,886	4/6/93	Schwartz et al	<u> </u>	363	49	3/10/92
JZ	BQ_	5,297,014	3/22/94	Saito et al		363	21	1/3/92
JZ	BR	5,313,381	5/17/94 2/95	Balakrishnan		363	147.	9/1/92
1, 12	BS	5,394,017	12/2/92	Catano et al		307	66	2/28/95
12	BT	5,452,195	9/19/95	Lehr et al		363	21	10/6/93
1 12	BU	5,461,303	10/24/95	Leman et al		323	222	1/31/94
XUZ.	8V_	5,481,178	3/23/93	Wilcox et af		323	287	1/2/96
UZ	BW	5,508,602	4/16/96	Borgato et al		323	222	9/28/93

Page 2 of 4

_ ]	FORM PTO-1449					ATTY, DO KET NO. SERIAL NO.				
- 1	LIST	OF PATE	NTS AND OTHER ITEM	S FOR APPL	CANT'S	APPLICANT:	1	09/080,774	<u> </u>	
ļ		INFO	MATION DISCLOSURE	STATEMEN	I D	Power Integrat	ions, Inc.			
		+	(Use several sheets if ne	ceisary) / (	1981C	FILING DATE:	•	GROUP:		
ŧ				<del>- / ,</del>	R 2 3 1298 6	May 18, 1998	1	2816		
1	EXAMINER	Ε	<del></del>		\$		1	SUB		NG
	NITIAL.		DOCUMENT NUMBER	DATE	TRANSPER !		CLASS	CLASS		ATE
	JZ	BX	5,528,131	6/18/96	Marty et al		323	901	9/21/5	93
	JZ	ВУ	5,552,746	9/3/96	Danstrom		327	427	4/7/95	5
	JZ	BZ	5,563,534	10/8/96	Rossi et al		327	77	5/9/94	
	12	CA	5,568,084	10/22/96	McClure et al		327	538	2/6/94	
	12	СВ	5,570,057	10/29/96	10/29/96 Palara		327	365	4/12/	95
	JZ	œ	5,572,156	11/5/96	11/5/96 Diazzi et al		327	109	9/18/	95
	15	CD	5,619,403	4/8/97	1/8/97 Ishikawa et al		363	21	7/20/	93
	15	CE	5,617,016	4//97	Borghi et al		323	284	10/20	V94
ß.	JZ	CF	5,621,629	4/15/97	97 Hemminger et al		363	56	6/7/9	5
i.	SVE	œ	5,640,317	6/15/95 7	67 tei		363	49	6/17/	97
1	FOREIGN PATENT DOCUMENTS									
				. 414141						- 1
	EXAMINÉR INITIAL		DOCUMENT NUMBER	DATE	· ·	RUNTRY	CLASS	SUB	TRANS	LATION
		сн	DOCUMENT NUMBER WO 83/01157				CLASS H02M 3			
	INITIAL	сн		DATE		PUNTRY		CLASS		NO
	J2		WO 83/01157	DATE 31.03.63	60	UNTRYEPO	H02M 3	335		X
	JZ JZ JZ JZ JZ	a	WO 83/01157 0 651 440 Al	DATE 31.03.83 03.05.95		EPO EPO	H02M 3	335 433		X X
	JZ JZ JZ JZ JZ	a a	WO 83/01157 0 651 440 Al EP 0 694 966 Al	DATE 31.03.83 03.05.95 31.01.96	co	EPO EPO	H01L 23	335 433 495		X X X
	JZ JZ JZ JZ JZ	a a cx	WO 83/01157 0 651 440 Ai EP 0 694 966 Ai EP 0 736 957 Ai	DATE 31.03.83 03.05.95 31.01.96 09.10.96		EPO EPO EPO	H02M 3 H01L 23 H01L 23 H02M1	335 433 495		x x x x
	JZ JZ JZ JZ JZ	а а ск а	WO 83/01157 0 651 440 Al EP 0 694 966 Al EP 0 736 957 Ai EP 0 740 491 Al	DATE 31.03.83 03.05.95 31.01.96 09.10.96 30.10.96	60	EPO EPO EPO EPO	H02M 3 H01L 23 H01L 23 H02M1 H058 41	12 00		X X X X X X
	12 12 12 12 12 12 12	а а ск а см	WO 83/01157 0 651 440 Ai EP 0 694 966 Ai EP 0 736 957 Ai EP 0 740 491 Ai EP 0 751 621 Ai	31.03.83 03.05.95 31.01.96 09.10.96 30.10.96 02.01.97	600	EPO EPO EPO EPO EPO EPO	H02M 3 H01L 23 H01L 23 H02M1 H05B 41 H03K 17	12 00 16		x x x x x x x x
	JZ JZ JZ JZ JZ JZ JZ JZ	а а ск а ом ом	WO 83/01157 0 651 440 Al EP 0 694 966 Al EP 0 736 957 Al EP 0 740 491 Al EP 0 751 621 Al EP 0 748 034 Al EP 0 748 035 Al OTHER DOCUM	DATE 31.03.63 03.05.95 31.01.96 09.10.96 30.10.96 02.01.97 11.12.96 III.12.96	Co	EPO	H01L 23 H01L 23 H01L 23 H02M1 H05B 41 H03K 17 H02M 3 H02M 3	12 00 16 00 155	YES	x x x x x x x x x x x x x x x x x x x
	JZ JZ JZ JZ JZ JZ JZ JZ	а а ск а ом ом	WO 83/01157 0 651 440 Ai EP 0 694 966 Ai EP 0 736 957 Ai EP 0 740 491 Ai EP 0 751 621 Ai EP 0 748 035 Ai OTHER DOCUM H.S. Hoffman, kr. "Self-	DATE 31.03.83 03.05.95 31.01.96 09.10.96 30.10.96 02.01.97 11.12.96 EENTS (Included Biogeographic September 2)	Sing Author, Tit	EPO	H02M 3 H01L 23 H02M1 H05B 41 H05K 17 H02M 3 Pages, etc., re Bulletis,	12 00 16 00 155	VES.	x x x x x x x x x x x x x x x x x x x
	JZ JZ JZ JZ JZ JZ JZ JZ JZ	G G G G G G G G G G G G G G G G G G G	WO 83/01157  0 651 440 Ai  EP 0 694 966 Ai  EP 0 736 957 Ai  EP 0 740 491 Ai  EP 0 748 034 Ai  EP 0 748 035 Ai  OTHER DOCUM  H.S. Hoffman, Jr., "Self- 1997, pp. 1814-5.  H.S. Hoffman, Jr. et al, " Bulletin, Vol. 21, No. 12	DATE 31.03.83 03.05.95 31.01.96 09.10.96 30.10.96 02.01.97 11.12.96 III.12.96 III.12.96 III.12.96 III.12.96 III.12.96 III.12.96 III.12.96 III.12.96	Sing Author, Tit as Supply, IBM Drive Supply wit pp. 4904-5	EPO	H01L 23 H01L 23 H01L 23 H02M1 H03K 17 H03K 17 H02M 3 H02M 3	12 00 16 00 155	5, Octobs	x x x x x x x x x x
	JZ JZ JZ JZ JZ JZ JZ JZ JZ JZ	CT CX	WO 83/01157 0 651 440 Ai EP 0 694 966 Ai EP 0 736 957 Ai EP 0 740 491 Ai EP 0 751 621 Ai EP 0 748 035 Ai OTHER DOCUM H.S. Hoffman, Jr., "Solf- 1997, pp. 1814-5. H.S. Hoffman, Jr., et al, "	DATE 31.03.83 03.05.95 31.01.96 09.10.96 30.10.96 11.12.96 11.12.96 ENTS (Included Signature Sig	Sing Author, Tit as Supply, IBM Drive Supply wit pp. 4904-5	EPO	H01L 23 H01L 23 H01L 23 H02M1 H03K 17 H03K 17 H02M 3 H02M 3	12 00 16 00 155	5, Octobs	x x x x x x x x

Page 3 of 4

FORM PTO-1449	ATTY, DOCKET NO.	SERIAL NO.		
1.	233/24	09/080,774		
LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S	APPLICANT:			
INFORMATION DISCLOSURE STATEMENT	Power Integrations, Inc.			
(Use several sheets if necessary)	FILING DATE:	GROUP:		
(OSE SEVERA SHEETS IN HELEINERY)	May 18, 1998	2816		

JZ	CS	"5-W dc-dc converters aim at telecomm applications", Electronic Design Vol 31, No. 15, July 21, 1983, pp 227.
JZ	cı	"Combined Switch-Mode Power Amplifier and Supply", IBM Technical Disclosure Bulletin, Vol. 28, No. 3, August 1985, pp. 1193-1195.
JZ	cu	R. Bruckner, et al, "Optimizing Couverter Design and Performance Utilizing Micro Controller Systam Feedback Control", Proceedings of Powercon 8, E-2, 1981, pp 1-10.
JZ	СУ	B. Pelly et al, OPower MOSFETs take the lead off switching supply design", Electronic Design, February 1983, pp 135-139.
12	cw	D. Azzis et al, "Flyback on Card Power Supply", IBM Technical Disclosure Bulletin, Vol. 23, No. 4, September 1980, pp. 1477-78.
JZ	cx	A.J. Bowen et al, "Power Supply with Optical Isolator", IBM Technical Disclosure Bulletin Vol. 14, No. 11, April 1972, pp. 3320
JZ	CY	"Off-Line Power Supply Control Technique Using a Single Transformer to Ford Back Three Control Signals", IBM Technical Disclosure Bulletin, Vol. 32, No. 8A, January 1990, pp. 272-3.

Examiner	Jeffrey	Zweizig	DATE CONSIDERED: 8/15/99				
EXAMINE line through	EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include a copy of this form with next						



Attorney's Docket No.: \_\_003692.P036

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

BALAKRISHNAN, ET AL

Examiner:

Not Yet Assigned

Application Number: 09/080,774

Group Art Unit:

Filed: May 18, 1998

For: OFF-LINE CONVERTER WITH INTEGRATED SOFTSTART AND FREQUENCY JITTER

RECEIVED

MAY 2 6 1999

Assistant Commissioner for Patents Washington, D.C. 20231

TECHNOLOGY CONTER 2000

### POWER OF ATTORNEY BY ASSIGNEE AND REVOCATION OF PREVIOUS POWERS

Power Integrations, Inc. ("assignee"), a California corporation having a place of business at 477 N. Mathilda Avenue, Sunnyvale, California, 94086, certifies that to the best of assignee's knowledge and belief it is the assignee of the entire right, title, and interest in and to the above-referenced patent application and represents that the undersigned is a representative authorized and empowered to sign on behalf of the assignee.

Assignee has reviewed the assignment document that evidences the placement of title in the assignee and upon information and belief that assignment documents were recorded in the U.S. Patent and Trademark Office on May 18, 1998, at reel 9195, frame 0745.

Pursuant to 37 C.F.R. §§ 1.36 and 3.71, the assignee hereby revokes all powers of attorney previously given and appoints Farzad E. Amini, Reg. No. P42,261; Aloysius of attorney previously given and appoints rarzad E. Armini, rieg. No. 142,201; Aloysius T. C. Au'yeung, Reg. No. 35,432; Army M. Armstrong, Reg. No. 42,265; William Thomas Babbit, Reg. No. 39,591; Carol F. Barry, Reg. No. 41,600; Jordan Michael Becker, Reg. No. 39,602; Bradley J. Bereznak, Reg. No. 33,474; Michael A. Bernadicou, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; Gregory D. Caldwell, Reg. No. 39,926; Kent M. Chen, Reg. No. 39,630; Yong S. Chol, Reg. No. 19,9324; Thomas M. Coester, Reg. No. 39,637; Michael Anthony DeSanctis, Reg. No. 39,957; Daniel M. De Vos. Reg. No. 37,813; Echart Andrew Diahl Reg. No. 40,002; Tarok M. Estani Reg. Vos, Reg. No. 37,813; Robert Andrew Diehl, Reg. No. 40,992; Tarek N. Fahmi, Reg. No. 41,402; James Y. Go, Reg. No. 40,621; Dinu Grula, Reg. No. P42,996; David R.

003692,P038

(rev. 5/99)

Halvorson, Reg. No. 33,395; Thomas A. Hassing, Reg. No. 36,159; Phuong-Quan Hoang, Reg. No. 41,839; Willmore F. Holbrow ill, Reg. No. P41,845; George W Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; Dag H. Johansen, Reg. No. 36,172; William W. Kidd, Reg. No. 31,772; Michael J. Malile, Reg. No. 36,591; Andre L. Marals, under 37 C.F.R. § 10.9(b); Paul A. Mendonsa, Reg. No. 42,879; Darren J. Milliken, Reg. 42,004; Thinh V. Nguyen, Reg. No. 42,034; Kimberley G. Nobles, Reg. No. 38,255; Babak Redjaian, Reg. No. 42,096; James H. Saiter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,018; James C. Scheller, Reg. No. 31,195; Anand Sethuraman, Reg. No. P43,351; Charles E. Shemwell, Reg. No. 40,171; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Judith A. Szepesi, Reg. No. 39,393; Vincent P. Tassinari, Reg. No. 42,179; Edwin H. Taylor, Reg. No. 25,129; George G. C. Tseng, Reg. No. 41,355; Lester J. Vincent, Reg. No. 31,460; John Patrick Ward, Reg. No. 40,216; Stephen Warhola, Reg. No. 43,237; Charles T. J. Weigell, Reg. No. 43,398; Ben J. Yorks, Reg. No. 33,609; and Norman Zafman, Reg. No. 26,250; my attorneys, and James A. Henry, Reg. No. 41,064; Daniel E. Ovanezian, Reg. No. 41,238; Glenn E. Von Tersch, Reg. No. 41,364; and Chad R. Walsh, Reg. No. 43,235; my patent agents, of BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, with offices located at 12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025, telephone (310) 207-3800, and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Pursuant to 37 C.F.R. § 3.71, the assignee hereby states that prosecution of the above-referenced patent application is to be conducted to the exclusion of the inventor(s).

Send all future correspondence to <u>Bradley J. Bereznak. Esq., Fleq. No. 33,474.</u> Blakely, Sokoloff, Taylor, & Zalman LLP, 12400 Wilshire Boulevard, Seventh Floor, Los Angeles, California 90025, and direct all telephone calls to the same at (408) 720-8598.

Assignee of Interest: <u>POWER INTEGRATIONS, INC.</u>
(Type or Print)

Dated: 5-/4-99

Name: Office (Type or Print)

(Type or Print)

Title: <u>Vice President of Corporate Development</u>
(Type or Print)

Address of Assignes of Interest: 477 N. Mathilda Avenue Sunnyvale, CA 94086 USA

003692.P036

(rev. 5/99)

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

Dated:	5/17/29	_ By Sully I Duyne
	•	Name: Bradley J. Bereznak
		(Type) Reg. No.: 33.474

12400 Wilshire Blvd. Seventh Floor Los Angeles, California 90025-1026 (408) 720-8598

# FIRST CLASS CERTIFICATE OF MAILING (37 C.F.R. § 1.8(a))

hereby certify that the foregoing Power of A States Postal Service as first class mall addressed to the Assistant Commissioner for YIO45 14 1999	
	<del></del>
VIvlan Y. Builte	<u>n</u>
Name of Person Mailing Corre	spondence
	-F
	1 1
Xuzw. * Xvii	5/14/99
Sidnature	Date
-63.101010	1 1970

003692.P036

(rev. 5/99)

5



	)	Address: COMMISSIONER OF PAT Washington, D.C. 2023;	ENTS AND THADEINARKS	
APPLICATION NUMBER   PLING DATE		nishnan et al.	ATTORNEY DOCKET NO.	
01/080/174	Dakun	יוט ווטווקצוי		
•		<u> </u>	EXAMINER .	•
		- AN	TUNIT PAPER NUMBER	
,		2810	5	
•	ŧ	· DATE MAL	=7-28- <del>9</del> 9.	3
	A 481.18		·	•
This is in response to the Power of Attorney	u Sed	15-18-9	9	
1. The Power of Attorney to you in this	•	en reverted by the englicen	Estura correspondence will	•
pe waged to the new equiess of uso	ord. 37 CFR 1.33.	on teacuter at the obtainer.	the project of the section of the	
2. The Power of Altomey to you in this	application has be	on revoked by the assignee	who has intervened	
as provided by 37 CFR 3.71. Future				
3. The withdrawal as attorney in this at new address of record, 97 CFR 1.33	pplication has been 1.	accepted. Future corresp	codence will be mailed to the	·
				•
•	•	. This is a communication Patent and Trademark C		,
•			•	
	•		••	•
4. The Power of Attorney in this application below-noted address as provided by	ation is accepted. y 37 CFR 1.33.	Correspondence in this app	ilcation will be mailed to the	. [
5. The Power of Attorney in this applic  a. The Power of Attorney is from received.	ation is not accep an assignee and t	ted for the reason(a) checks te Certificate required by 37	d below: CFR 3.73 (b) has not been	,
b. The person signing for the ass	ignes has omitted	their empowerment to eign (	on behalf of the assignee.	
C. The inventor(s) is without auth	narity to appoint all	xneys since the assignee h	as intervened as provided by	÷
d. The signature of application, has been omitted. by said co-inventor.	The Power of Atte	rney will be entered upon re	, a co-inventor in this scalpt of confirmation signed	
e, The person(s) appointed in the Trademark Office.	e Power of Attorne	e le not registered to practice	s before the U.S. Patent &	
1. The revocation is not signed be attorney having the authority in	y the applicant, the	assignee of the entire inter	est, or <u>one</u> particular principal	
•	•	•	·	
		-		
				:
			. 0	·
The day T Repost	nak 7		1. 1. 1/4	1
Blockety Sokalathe Tout	R. 4 Zalman	Lele	borok serl	- 1
Bradley J. Berezi Blately Sokoloff Taylor 12400 Wilshire Blut Los angeles Ch 9000	Sevi Flor	This is a commu Patent and Trad		
Mas angeles CA 9000	ال قا			11
~ n=*1(17	にいた へへのソ 141	THE ADDITION		,

i

6



				- the
APPLICATION NO.	FILING DATE	FIRST HAMED INVENTOR	8. 8	APTORNEY DOCKET NO.
09/080,77	4 05/18/96	Balakirshnan	. <u> </u>	233/248
Γ · .	4.	_		
	•	. MM32/0819		
LYON & LY	on. Erstate world c	ENTER	ART CHE	Z 115 - JPAPER NUMBER
633 W FIF	TH STREET 47TH	FLOOR	•	#6
LOS ANGEL	ES CA 90071		2814	
		,	***************************************	08/18/99
	,			

<del></del>	Application No. 99/080,774	Ap, Jnt/s	Rajakirahna	
Office Action Summary				o ex ex.
0/1100 /10000/	Exeminar Jeffrey Zwe	izig	Group Art Unit 2816	
Responsive to communication(s) filed on 5/18/98				··
☐ This action is FIMAL.				
Since this application is in condition for allowance exci in accordance with the practice under Ex parte Queyte.			on as to the me	rits is closed
A shortened statutory period for response to this action is longer, from the mailing date of this communication. Papplication to become abandoned. (35 U.S.C. § 133). El 37 CFR 1.136(a).	allure to respond with	in the perk	d for response	will cause the
Disposition of Claims				
(8) Claim(s) <u>1-37</u>		ls/are	pending in the	application.
Of the above, claim(s)	· · · · · · · · · · · · · · · · · · ·	ls/are v	ithdrawn from	consideration.
Claim(s)			s/are allowed.	
Claim(s)	•		s/are rejected.	
☐ Claim(s)		1	a/are objected t	to.
🔞 Claims 1-37				
☑ See the attached Notice of Draftsperson's Patent D ☑ The drawingla) filed on	objected to by the E is  is  iner.  riority under 35 U.S.( spies of the priority de iel Number)  m the International 8	caminer. pproved  119(a)	(d). sve been  Fluie 17.2(e)).	
Attachmentis)  Notice of References Cited, PTC-892  Information Disclosure Statementis), PTC-1449, Pt  Interview Summary, PTC-413  Notice of Disfitsperson's Patent Drawing Review, F  Notice of Informal Patent Application, PTC-152				
— SEE OFFICE ACTIO	N ON THE FOLLOWER	PAGES		<del></del>
U. S. Fatom and Tribbinger, Office				

Page 2

Art Unit: 2816

### Drawings

 Fig. 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g).

### Election/Restriction

 This application contains claims directed to the following patentably distinct species of the claimed invention:

Group I; claims 1-10 & 29-37 directed toward a PWM circuit with a frequency variation circuit; and

Group II: claims 11-28 directed toward a PWM circuit with a soft start circuit.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations

Page 3

Art Unit: 2816

of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventious unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

3. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a petition under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(l).

Page 4

Art Unit: 2816

### Canclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey Zweizig whose telephone number is (703) 305-7243. The examiner can normally be reached on Monday through Friday from 7:00 to 3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Callahan, can be reached on (703) 308-4876. The fax phone number for this Group is (703) 308-7722.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0956.

JZ

August 17, 1999

Jeffrey Zweizig

Patent Examiner

Art Unit 2816

# MISSING PAGE(S) FROM THE U.S. PATENT OFFICE OFFICIAL FILE WRAPPER

#6- PTO 948 FORM

Patent Imaging Corporation
Patent Legal and Scientific Information Service
2001 Jefferson Davis Highway
Crystal Plaza One, Suite 600
Arlington, VA 22202-3610
(703) 553-0000

7





**PATENT** 

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

in re Application of:

Belakrishnen

Serial No.: 09/080,774

May 18, 1998 Filed:

For: OFFLINE CONVERTER WITH INTEGRATED SOFTSTART AND

FREQUENCY JITTER

Commissioner of Patenta and Trademerks Washington, D.C. 20231

PETITION FOR EXTENSION OF TIME PURSUANT TO 37 C.F.R. § 1.138 (a)

Sir.

Applicant respectfully requests a two-month extension of time to file a Response to the Restriction Requirement mailed August 18, 1999. The extended period expires on November 18, 1999.

A check in the amount of \$380.00 is enclosed to cover the fee for a two. month extension of time. If any additional fee is required, please charge Deposit Account No. 02-2666. A duplicate of this Petition is enclosed for deposit account charging purposes.

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN L

.1999

12400 Wilshire Blvd. Seventh Floor

Los Angeles, CA 90025-1026 (425) 827-8600



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Balakrishnan

Serial No.: 09/080,774

Filed: May 18, 1996

OFFLINE CONVERTER WITH For INTEGRATED SOFTSTART AND

Commissioner of Patents and Trademarks Washington, D.C. 20231

PETITION FOR EXTENSION OF TIME PURSUANT TO 37 C.F.R. § 1.136 (a)

Sir:

Applicant respectfully requests a two-month extension of time to file a Response to the Restriction Requirement mailed August 18, 1989. The extended period expires on November 18, 1999.

A check in the amount of \$380.00 is enclosed to cover the fee for a twomonth extension of time. If any additional fee is required, please charge Deposit Account No. 02-2668. A duplicate of this Petition is enclosed for deposit account charging purposes.

Respectfully submitted,


BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

12400 Wilshire Blvd.

Seventh Floor

Los Angeles, CA 90025-1026 (425) 827-8600





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Patent Application of:

BALAKRISHNAN ET AL.

Examiner: Zweizig, Jeffrey.

Art Unit: 2816

Application No.: 09/080,774

Filed: May 18, 1998 🜙

**OFF-LINE CONVERTER WITH** INTEGRATED SOFTSTART/AND)

FREQUENCY JITTER

Assistant Commissioner for Patents Washington, D.C. 20231

### AMENDMENT AND RESPONSE TO ELECTION REQUIREMENT

### Drawing Objection

in response to the Election Requirement mailed August 18, 1999, it is proposed by the Examiner that Figure 1 be designated by a legend such as --Prior Art-. Accordingly, the Applicants submit a proposed drawing correction in the form of a red-mark original of Figure 1. The Applicants request the Examiner to approve the drawing. The Applicants will submit formal corrections for Figure 1, including any additional changes in response to form PTO-948, when the Application is allowed by the Examiner.

### Restriction Requirement

In response to the Election Requirement mailed August 18, 1999, the Applicant hereby elects without traverse the Invention of Group I, claims 1-10 and 29-37.

003692.P036 Serial No. 09/080,774 Examiner: Zweizig, J. Art Unil: 2816

if there are any additional charges, please charge Deposit Account No. 02-2666.


Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN

12400 Witshire Boulevard Seventh Floor Loe Angeles, CA 90025-1026 (425) 827-8600

003692.P036 Serial No. 09/080,774

Examiner: Zwelzig, J. Art Unit: 2816



Mail No. EM563816388US Docket No: 233/248 May 18, 1998

9



### UNITED STATES D. ...ARTIMENT OF COMMERCE Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

12/13/99

75-980 (Rev. 188) 1-78e Cujy

	Application No. 00/080,774	App. sant(u)	Dalphirelynar	*****
Office Action Summary	Examiner Jeffrey Zwei	×ig	Group Art Unit 2816	
Responsive to communication(s) filed on 11/8/59				·
This action is FINAL.				
☐ Since this application is in condition for allowance exce in accordance with the practice under Ex parts Quayle			in as to the me	rits is closed
A shortened statutory period for response to this action is to longer, from the mailing date of this communication. Fr application to become abandoned. (35 U.S.C. § 133). Et 37 CFR 1.136(a).	allure to respond with	in the perior	for response	will cause the
Disposition of Claims				
区 Claimia) <u>1-37</u>		is/are :	pending in the	application.
Of the above, claim(s) 11-28		is/are w	lthdrawn from	consideration.
区 Claimfel <u>1-3, 7, 8 8 10</u>			s/are allowed.	,
☑ Claim(s) <u>4-6, 9 à 29-37</u>		k	s/are rejected.	
. Claimis)			/ere objected t	la.
☐ Claima		t to restrict	ion or election	requirement.
☐ The drawingle) filed on	1/8/39 to 18h; ner. riority under 35 U.S.C	proved E	d).	•
received in Application No. (Series Code/Seri		rem: [PCT 1	 Ruio 17.2(a)),	
*Certified copies not received:				•
Acknowledgement is made of a claim for domestic	priority under 35 U.S	.C. § 119(c	).	
Attachment(s)  ® Notice of References Cited, PTO-892  Information Disclosure Statement(s), PTO-1449, Pa Interview Summary, PTO-413  Notice of Draftsperson's Patent Drawing Saview, P  Notice of Informal Patent Application, PTO-152				
SEF OFFICE ACTION U. B. Patent and Trademark Office PTO-326 (Rev. 9-95) Office A	V ON THE FOLLOWING	PAGES		f Paper No.

Page 2

Art Unit: 2816

### Election/Restriction

 This application contains claims directed to the following patentably distinct species of the claimed invention:

Group I: claims 1-10 & 29-37 directed toward a PWM circuit with a frequency variation circuit; and

Group II: claims 11-28 directed toward a PWM circuit with a soft start circuit.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic. Applicants have elected, without traverse, Group I: claims 1-10 & 29-37. Claims 11-28 have been withdrawn from consideration.

### Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 4-6, 9 & 29-37 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Document 596-4

Application/Control Number: 09/080,774

Page 3

Art Unit: 2816

In claim 4 lines 2 & 3, "a magnitude of said oscillation signal" should be changed to -said magnitude of said oscillation signal-.

In claim 9 line 8, "pulse width modulated switch" should be changed to just -- switch- (see claim I line 4).

In claim 9 line 9, the second occurrence of "first winding" should be changed to --second winding-.

Refferring to the phrase "said first [second] winding capable of being coupled to a load", it is not understood if the winding is or is not coupled to the load.

In claim 29, the phrase "that provides a drive signal for a maximum time period of a time duration signal" is not understood. If the drive signal were applied for the maximum period of the duration, the drive signal would always be applied.

In claim 35 line 8, "regulation circuit" should be changed to just -switch- (see claim 29 line 4).

In claim 35 line 9, the second occurrence of "first winding" should be -second winding -. Refferring to the phrase "said first [second] winding capable of being coupled to a load", it is not understood if the winding is or is not coupled to a load.

Claims 4, 9, 29 & 35 are indefinite. Claims 5, 6 & 30-37 are rejected as being dependent on an indefinite intervening claim.

Page 4

Art Unit: 2816

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on rais in this country, more than one year prior to the date of application for patent in the United States.
- Claims 29, 35 & 37 are rejected under 35 U.S.C. 102(b) as being auticipated by Applicants' Prior Art Fig. 1.

Applicants' Prior Art Fig. 1 shows a first terminal 95, a second terminal Com, a switch/drive circuit 90 and a frequency variation circuit 140 as recited in claim 29.

Further shown is a rectifier 10, a capacitor 15, a first winding 35 and a second winding 45 as recited in claim 35.

Further shown is a feedback terminal (Error Amplifier in) as recited in claim 37.

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as act forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the act to which said subject matter pertains. Patentability shall not be negatived by the er in which the Javention was made.

Page 5

Art Unit: 2816

Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over Applicants' Prior Art Fig. 1.

Document 596-4

Applicants' Prior Art Fig. 1 does not specify that the circuit is an integrated circuit as recited in claim 34. However, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate Prior Art Fig. 1 as an integrated circuir for the benifit of implementing a compact single package. Claim 34 is obvious.

### Allowable Subject Matter

.The prior Art of record does not appear to disclose or suggest a PWM switch comprising an oscilator for generating a maximum duty cycle signal and a singual with a frequency range dependent on a frequency variation circuit as recited in claim 1.

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey Zweizig whose telephone number is (703) 305-7243. The examiner can normally be reached on Monday through Friday from 7:00 to 3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Callahan, can be reached on (703) 308-4876. The fax phone number for this Group is (703) 308-7722.

Page 6

Art Unit: 2816

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0956.

JZ

December 13, 1999

// Seffrey Zweizig

Patent Examine

Art Unit 2816

Notice of References Cited				19/020,774			Balakirafunan et al.		
			Examinar Jailtre	Examinar Group Art U Joffrey Zwalzig 2816					
			I.S. PATENT DOCUME	тв					
1	pocusient see.	DATE						REDCLASS.	
L				Home					
		<u>'</u>	<del></del>						
•									
ŀ									
ļ:									
1									
•									
1.									
1.	·								
1.									
N.	<u> </u>								
1.		· · [				·		•	
-									
		70	REIGH PATENT DOCUM	EKT					
L	DOCUMENT NO.	DATE	COUNTRY		MANE		CLASS	PARCLASS	
*									
۰									
ŀ									
ļe									
1.									
1.									
Ţ		<u> </u>					<u> </u>		
		1	VON-PATIENT DOCUME	NTS	-				
Ŀ		DOCUMENT PLANS	Auden, Hån, Samen, and Per	Armet Prop	<b>-</b>			DATE	
	ľ					•	1		
L									
1.							T		
		· ·	-				7		
"								•	
十									
×							- 1		
1_	<u> </u>	<del> </del>	<del></del>		<del></del> .			-	
							•		
	en and Trademark Office 192 (Rev. 9-95)	E4.	otice of References (					No	

003692.P036

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Balakrishnan et al.

Serial No. 09/080,774

Filed: May 18, 1998

For: OFFLINE CONVERTER WITH

SOFTSTART AND FREQUENCY

JITTER

Box Non-fee Amendment Assistant Commissioner for Patents Washington, DC 20231

**AMENDMENT AND RESPONSE** 

Sir:

Responsive to the Office Action mailed December 13, 1999, the Applicants request the Examiner to enter the following amendments and to consider the following remarks.

## IN THE DRAWINGS

The Applicants submit that reference numeral —405— was inadvertently labeled as "400" in Figure 5. In addition, the Applicants submit that reference numeral —400— was inadvertently omitted from Figure 6. Accordingly, the Applicants submit proposed drawing corrections in the form of red-mark originals of Figures 5 and 6. The Applicants request the Examiner to approve the drawings. The Applicants will submit formal corrections for Figures 5 and 6,

-1-

003692,P036 Serial No. 09/080,774 Examiner: J. Zweizig Art Unit: 2816

FCS0000444

#10/a #10/a 3/24/00 V.Varial

Examiner: J. Zwelzig

Art Unit: 2816

댦

including any additional changes in response to form PTO-948, when the application is allowed by Examiner.

## IN THE SPECIFICATION

On page 5, line 9, please replace "25" with ~15-...

On page 16, line 8, please replace "input switch 435" with -input of switch

435-..

On page 18, line 5 please replace "signal 400" with -signal 405-..

On page 18, line 23, please replace "DC voltage 740" with -DC voltage

On page 20, line 19, please replace "for the AC" with -of the AC-...

## IN THE CLAIMS

Please cancel claim 87 without prejudice.

Please amend claims 4, 9,

Ŋ

4. (Amended) The pulse width modulated switch of claim 1 further comprising a soft start circuit that provides a signal instructing said drive circuit to discontinue said drive signal when [a]sald magnitude of said oscillation signal is greater than a magnitude of said frequency variation signal.

9. (Amended) The pulse width modulated switch of claim 1 further comprising;

003692.P036

Examiner: J. Zweizig Art Unit: 2816

a rectifier comprising a rectifier input and a rectifier output, said rectifier input receiving an AC mains signal and said rectifier output providing a rectified signal;

a power supply capacitor that receives said rectified signal and provides a substantially DC signal;

a first winding comprising a first terminal and a second terminal, said first winding receiving said substantially DC signal, said second terminal of said first winding coupled to said first terminal of said [pulse width modulated] switch; and

a second winding magnetically coupled to said first winding[, said first winding capable of being coupled to a loadi.

29. (Amended) A regulation circuit comprising:

a first terminal:

a second terminal;

a feedback terminal coupled to disable the regulation circuit:

a switch comprising a control input, said switch allowing a signal to be transmitted between said first terminal and said second terminal according to a drive signal provided at said control input; [and]

a frequency variation circuit that provides a frequency variation signal;

an oscillator that provides an oscillation signal having a frequency range, said frequency of said oscillation signal varying within said frequency range according to said frequency variation signal, said oscillator further providing a maximum duty cycle signal comprising a first state and a second state: and

003692.P036

a drive circuit that provides said drive signal [for a maximum time period of a time duration cycle:]when said maximum duty cycle signal is in said first state and said regulation circuit is not disabled.

Buld

[wherein said time duration of said cycle varies according to said frequency variation signal.]

At

(Amended) The regulation circuit of claim 28 further comprising a soft start circuit that provides a signal instructing said drive circuit to discontinue said drive signal according to a magnitude of said frequency variation signal.

RS

1 35 (Amended) The regulation circuit of claim 29 further comprising; a rectifier comprising a rectifier input and a rectifier output, said rectifier input receiving an AC mains signal and said rectifier output providing a rectified signal;

a power supply capacitor that receives said rectified signal and provides a substantially DC signal;

a first winding comprising a first terminal and a second terminal, said first winding receiving said substantially DC signal, said second terminal of said first winding coupled to said first terminal of said [regulation circuit]switch; and

a second winding magnetically coupled to said first winding[, said first winding capable of being coupled to a load].

003692.P036 Serial No. 09/080,774 -4-31

Examiner: J. Zweizig Arl Unit: 2618

### REMARKS

Claims pending in the instant application are numbered 1-10 and 29-37. The Applicants note with appreciation that claims 1-3, 7, 8 and 10 are allowed. Claims 4-6, 9 and 29-37 presently stand rejected. Claim 37 has been canceled without prejudice. Claims 4, 9, 29, 31 and 35 have been amended. The Applicants respectfully request reconsideration of the present application in view of the amendments and the following remarks.

Revocation of Previous Powers Filed By Applicants

The Applicants respectfully wish to remind the Examiner that a Revocation of Previous Powers was filed by the Applicants on May 14, 1999. For the Examiner's reference: (1) a photocopy of the Revocation of Previous Powers as filed by the Applicants and (2) a photocopy of a postcard received from the US Patent and Trademark Office evidencing receipt of the Revocation of Previous Powers is attached herewith. It is noted that at least the last two communications concerning the instant application have been incorrectly mailed by the US Patent and Trademark Office to the Applicants' former representatives instead of the Applicants' current representatives. Accordingly, the Applicants kindly wish to repeat their request that all future correspondence be mailed to Blakely Sokoloff Taylor and Zafman, LLP at the address listed in the Revocation of Previous Powers filed May 14, 1999.

-5-

003692.P036 Serial No. 09/080,774

Examiner: J. Zweizig Art Unit: 2816

# Specification and Drawing Amendments

Upon further review of the present specification and drawings, the Applicants noted several minor typographical errors. The specification and drawings have been amended to correct these deficiencies.

# 35 USC § 112 Rejections

In the December 13, 1999 Office Action, claims 4-6, 9 and 29-37 were rejected under 35 USC § 112, second paragraph. The claims have been amended as suggested by the Office Action and the claim language identified as not being understood in the Office Action has been amended. Accordingly, the instant section 112 rejections are now moot.

# 35 USC § 102 Rejections

In the December 13, 1999 Office Action, claims 29, 35 and 37 are rejected under 35 USC § 102(b) as being anticipated by Applicants' Prior Art Figure 1.

Claim 29 as presently amended now expressly recites a regulation circuit that includes an oscillator that provides a maximum duty cycle signal and an oscillation signal having frequency range that is varied according to a frequency variation signal. The Applicants' Prior Art Figure 1 fails to disclose, teach or suggest such limitations. Accordingly, the Applicants respectfully submit that the instant section 102 rejection has been overcome.

## 35 USC § 103 Rejection

in the December 13, 1999 Office Action, claim 34 is rejected under 35 USC § 103(a) as being unpatentable over Applicants' Prior Art Figure 1.

003692 P036 Serial No. 09/080,774

-6-

Examiner: J. Zweizig Art Unit: 2816

Claims 34 depends on claim 29 and therefore distinguishes for at least the same reason as independent claim 29 in addition to adding further limitations of its own. Accordingly, the Applicants respectfully submit that the instant section 103 rejection has been overcome.

# Charge Deposit Account

Please charge our Deposit Account No. 02-2666 for any additional fee due in this matter.

Respectfully submitted,

BLAKELY, SOKOLOFP, TAYLOR & ZAFMAN

3-10-00

## FIRST CLASS CERTIFICATE OF MAILING


I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage in an envelope addressed to the Assistant Commissioner for Petents, Washington, D.C. 20231

-7-

003692.P036 Serial No. 09/080,774


Examiner: J. Zweizig

Art Unit: 2816



37

Mail No. EM56381638815 Docket No. 233/248 May 18, 1998





Scriativation No.: 09/680,774 Client Power Integrations Inc. Tide OFF-INE CONVEYER STYN FREDURIC ITTER	Filing/Issue Date: Hay 18, 1998
BSTZ File No.: M03562 P0356 Dath Malled: May 17, 1969 The following last here received in the U.S. Petalu Americantiflaneous — pax 1 Application Stills (— ppx) 60 bifficant Application Stills (— ppx) pp. with more and absence) Application Stills (— ppx) pp. with more and absence) Application Stills (— ppx) pp. with more and absence) Application Stills (— ppx) pp. with more and absence) Application Stills (— ppx) pp. with more and absence) Application Stills (— ppx) pp. with more and absence) Application Stills (— ppx) pp. with more and absence) Application Stills (— ppx) pp. with more and absence of the pp. pp. pp. pp. pp. pp. pp. pp. pp. pp	Any/Secty Initials: R.Th.: wyb. Doctor Dun Date: Trademark Office on the date stemped hereon; Supremban No.
C) Other:	

Cpy

mey's Docket No.: <u>003692.P036</u>

**Patent** 

귱

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

BALAKRISHNAN, ET AL.

Application Number: 09/080,774

Filed: May 18, 1998

For: OFF-LINE CONVENTER WITH INTEGRATED SOFTSTART AND FREQUENCY JITTER

Assistant Commissioner for Patents Washington, D.C. 20231

Examiner: Not Yet Assigned

Group Art Unit: 2816

POWER OF ATTORNEY BY ASSIGNEE AND REVOCATION OF PREVIOUS POWERS

Power integrations, Inc. ("assignee"), a California corporation having a place of business at 477 N. Mathilda Avenue, Surmyvale, California, 94086, certifies that to the best of assignee's knowledge and belief it is the assignee of the entire right, title, and interest in and to the above-referenced patent application and represents that the undersigned is a representative authorized and empowered to sign on behalf of the assignee.

Assignee has reviewed the assignment document that evidences the placement of title in the assignee and upon information and belief that assignment documents were recorded in the U.S. Patent and Trademark Office on May 18, 1998, at reel 9195, frame 0745.

Pursuant to 37 C.F.R. §§ 1.36 and 3.71, the assignee hereby revokes all powers of attorney previously given and appoints Farzad E. Amini, Reg. No. P42,261; Aloysius T. C. AuYeung, Reg. No. 35,432; Amy M. Armstrong, Reg. No. 42,265; William Thomas Babbitt, Reg. No. 39,591; Carol F. Barry, Reg. No. 41,600; Jordan Michael Becker, Reg. No. 39,602; Bradley J. Bereznak, Reg. No. 33,474; Michael A. Bernadicou, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; Gregory D. Caldwell, Reg. No. 39,926; Kent M. Chen, Reg. No. 39,630; Yong S. Chei, Reg. No. P43,324; Thomas M. Coester, Reg. No. 39,637; Michael Anthorry DeSanctis, Reg. No. 39,957; Daniel M. De Vos, Reg. No. 37,613; Robert Andrew Diehl, Reg. No. 40,992; Tarek N. Fahmi, Reg. No. 41,402; James Y. Go, Reg. No. 40,621; Dinu Gruia, Reg. No. P42,996; David R.

003692.P036

(rev. 5/99)

Halverson, Reg. No. 33,395; Thomas A. Hassing, Reg. No. 36,159; Phuong-Quan Hoang, Reg. No. 41,839; Willmore F. Holbrow III, Reg. No. P41,845; George W Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; Dag H. Johansen, Reg. No. 36,172; William W. Kidd, Reg. No. 31,772; Michael J. Mallie, Reg. No. 36,591; Andre L. Marais, under 37 C.F.R. § 10.9(b); Paul A. Mendonsa, Reg. No. 42,879; Darren J. Milliken, Reg. 42,004; Thinh V. Nguyen, Reg. No. 42,034; Kimberley G. Nobles, Reg. No. 38,255; Babak Redjatan, Reg. No. 42,096; James H. Salter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,016; James C. Scheller, Reg. No. 31,195; Anand Sethuraman, Reg. No. P43,351; Charles E. Shemwell, Reg. No. 40,171; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Judith A. Szepesi, Reg. No. 39,393; Vincent P. Tassinari, Reg. No. 42,179; Edwin H. Taylor, Reg. No. 25,129; George G. C. Tseng, Reg. No. 41,355; Lester J. Vincent, Reg. No. 31,460; John Patrick Ward, Reg. No. 40,216; Stephen Warhola, Reg. No. 43,237; Charles T. J. Welgell, Reg. No. 43,398; Ben J. Yorks, Reg. No. 33,609; and Norman Zafman, Reg. No. 26,250; my attorneys, and James A. Henry, Reg. No. 41,064; Daniel E. Ovanezian, Reg. No. 41,236; Glenn E. Von Tersch, Reg. No. 41,364; and Chad R. Walsh, Reg. No. 43,235; my patent agents, of BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, with offices located at 12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025, telephone (310) 207-3800, and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Document 596-4

Pursuant to 37 C.F.R. § 3.71, the assignee hereby states that prosecution of the above-referenced patent application is to be conducted to the exclusion of the inventor(s).

Send all future correspondence to Bradley J. Bereznak, Esq., Reg. No. 33,474, Blakely, Sokoloff, Taylor, & Zafman LLP, 12400 Wilshire Boulevard, Seventh Floor, Los Angeles, California 90025, and direct all telephone calls to the same at (408) 720-8598.

> Assignee of Interest: **POWER INTEGRATIONS, INC.** (Type or Print)

fford/J/Walker (Type or Print)

Vice President of Corporate Development Title: (Type or Print)

Address of Assignee of Interest: 477 N. Mathilda Avenue Sunnyvale, CA 94086 USA

003692.P036

(rev. 5/99)



Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

Name: (Type)

Reg. No.: 33,474

12400 Wilshire Blvd. Seventh Floor Los Angeles, California 90025-1026 (408) 720-8598

hereby certify that the foregoing Power of States Postal Service as first class mai addressed to the Assistant Commissioner fo	with sufficient postage in an envelope
Vivian Y. Bull	
Name of Person Mailing Con	espondence
Signature Bright	5/11/99
alle serine.	Date

003692.P038

(rev. 5/99)



003692.P036 BJB:vyb

ակվիրուկոնունեն

MAT PYO MAIL CENTER A. J. DE YAN FULL CLER: # 103

11



<u> </u>							DOCKET NO.
APPLICATION NO.	FILING CATE	FIRS	Y NAMED INVENTO	1	^^	HUMBET	DOCKET MOL
09/080	.774 05/	18/98 BAL	akrishnan		В		233/248
-			MMC2/9416	ո [	ŧ	XANIMER	
DOAN E	y J. BEREZ		PERCEI GGIG		ZW	EIZIO	, J
BLAKEL	EY. SOKOLO	OFF, TAYLOR,	ZAFMAN	LLP [	ART UNIT	PN	PER NUMBER
12400 SEVENT	WILSHIRE E TH FLOOR	BOULEVARD	•	•	25	16	#11
LOS A	NGELES CA 9	90025			DATE WALLED:		04/10/01
Please find belo	ow and/or atte	ched an Office c	omununicatioi	n conc	erning this a	plication	on or
	ow and/or attm	ched an Office c	ommunicatici		cerning this as		
	ow and/or atte	ched an Office c	ommunicatici				
	ow and/or attm	ched an Office c	ommunicatici				
	ow and/or atte	ched an Office c	ommunicatici				
Please find bald proceeding.	ow and/or atter	ched an Office e	ommunicatio				٠.

***	Application No. 09/089,774	Applicant(s)	Balaldrohna	n et d.	
Notice of Allowability	Examiner  Jeffrey Zweizig		Group Art Unit 2816		
Ali claims being allowable, PROSECUTION ON THE Moreowith (or previously mailed), a Notice of Allowanc nailed in due course.					
This communication is responsive to the amendm	ent filed 3/20/00			. •	
The allowed claim(s) is/are 1-10 & 29-36			_		
The drawings filed on are a	cceptable.				
Acknowledgement is made of a claim for foreign p					
	· · · · • · · · · · · · · · · · · · · ·				
All Some* None of the CERTIFIED o	Abus at the bullion & door	ingeni enimen	POST		
received.	4.4444				
received in Application No. (Series Code/Ser					
☐ received in this national stage application for	om the International Bure	ou (PCT Rule	17.2(a)}.		
*Certified copies not received:				<u> </u>	
3 Acknowledgement is made of a claim for domestic	c priority under 35 U.S.C.	. § 119(e).			
A SHORTENED STATUTURY PERIOD FOR RESPONS THREE MONTHS FROM THE "DATE MAILED" of this BBANDONMENT of this application. Extensions of the	Office action. Failure to	timely comp	ly will result is	1	
Note the attached EXAMINER'S AMENDMENT or that the cath or declaration is deficient. A SUBST				hich discloses	
Applicant MUST submit NEW FORMAL DRAWING	S				
🗷 because the originally filed drawings were deci	ared by applicant to be in	formal.		• •	
Including changes required by the Notice of Dritto Paper No	sftsperson's Patent Drawi	ing Review, f	PTO-948, atta	ched hereto or	
including changes required by the proposed dra approved by the examiner.	wing correction filed on	3/20/	00, wh	ich has been	
☐ Including changes required by the attached Exa	ıminer's Amendment/Con	ament.			
Identifying Indicis such as the application number drawings. The drawings should be filed as a sepa Draftaperson.					
Note the attached Examiner's comment regarding	REQUIREMENT FOR THE	DEPOSIT QI	F BIOLOGICAL	MATERIAL.	
iny response to this letter should include, in the uppr CODE/SEPIAL NUMBER). It applicant has received a l and DATE of the NOTICE OF ALLOWANCE should ab	Notice of Allowance and				
ktinchmentis)					
Notice of References Cited, PTO-592					
☐ Information Disclosure Statement(s), PTO-1445	), Papar Nois)				
☐ Notice of Draftsperson's Patent Drawing Review	w, PTO-848			٠	
☐ Notice of Informal Patent Application, PTO-152	ł		1.111	4	
Cl. septime de augustai s'acesse subhummand s' s a . e .			347	Zweite	
☐ Interview Summary, PTO-413					
interview Summary, PTO-413 Examiner's Amendment/Comment			2416	A STATES OF THE PERSON NAMED IN	
☐ Interview Summary, PTO-413		lateriai	2416	a A	

Application/Control Number: 09/080,774

Art Unit: 2816

### Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filled as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Claims 11-28 have been canceled.

Claims 11-28 have been canceled so that the remaining claims and the present application can be allowed. Authorization for this examiner's amendment was given in a telephone interview with James Go on 4/6/00.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Jeffrey Zweizig whose telephone number is (703) 305-7243. The Examiner can normally be reached on Monday through Friday from 7:00 am to 2:00 pm eastern time.

Application/Control Number: 09/080,774

Page 3

Art Unit: 2816

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Callahan, can be reached on (703) 308-4876. The fax phone number for this Group is (703) 308-7722.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0956.


JZ

April 10, 2000

Markey Zweizig

Primary Examiner

Art Unit 2816



THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN <u>THREE MONTHS F</u>ROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

## HOW TO RESPOND TO THIS NOTICE:

- I. Review the SMALL ENTITY status shown above. If the SMALL ENTITY is shown as YES, verily your current SMALL ENTITY stelus:
- A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
- B. If the status is the same, pay the FEE DUE shown

If the SMALL ENTITY is shown as NO:

A. Pay FEE DUE shown above, or

8. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.

- II. Part B-issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part 8-issue Fee Transmittal should be completed and an extra copy of the form should be submitted.
- III. All communications regarding this application must give application number and batch number.

  Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due

PATENT AND TRADEMARK OFFICE COPY

V.S. GPC: 1989-134-457234091

3692.P036

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

BALAKRISHNAN et al.

Examiner: Zweizig, Jeffrey

Serial No. 09/080,774

Art Unit: 2816

Filed: May 18, 1998

For: OFF-LINE CONVERTER WITH INTEGRATED SOFTSTART AND FREQUENCY JITTER

**Assistant Commissioner for Patents** Washington, D.C. 20231

Dear Sir.

Applicant's respectfully note that the name of the inventor on the Filing Receipt for the above-identified application is incorrect. That Filing Receipt erroneously lists the inventor as BALU BALAKIRSHNAN. The correct name of the inventor is in fact BALU BALAKRISHNAN (emphasis added). Enclosed herewith is a copy of filing receipt with the corrections marked in red ink. Also enclosed is a check in the amount of \$25.00 for a corrected filling receipt under 37 U.S.C. § 1.19(h).

Therefore, correction with respect to the inventors listed in the Filing Receipt of the present application is respectfully requested. Please change the list of inventors of the # 01/12/2000 (CEMMIE 00000023 0000074 present application to BALU BALAKRISHNAN. MI PEISTE

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

Daled: 1-5 .2000

Y. Go No. 40.62

'ostal Service as first Ninglon, D.C. 20231

FILING RECEIPT

UNITED STATES LEF TMENT OF COMMERCE Patent and Trademark Office ASSISTANT SECRETARY AND COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

DATE GRAP ART UNIT | PLIFE NECO | ATTORNEY DOCKET NO. | DRWGE | TOT CL. IND CL. APPLICATION MUMBER CELE 09/080,774 05/18/98 2816 \$1,246.00 233/248

LYON & LYON FIRST INTERSTATE WORLD CENTER 633 W FIFTH STREET 47TH FLOOR LOS ANGELES CA 90071

RAT. BALU BALAKKSHNAN, SARATOGA, CA; ALEX DJENGUERIAN, SARATOGA, CA; LEIF LUND, SAN JOSE, CA.

POREIGN FILING LICENSE GRANTED 05/03/98 TITLE
OFFLIME CONVERTER WITH INTEGRATED SOFTSTART AND FREQUENCY JITTER

PRELIMINARY CLASS: 327

7.5 7.5

Docket No.: 003692.P036

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application for:

Balakrishnan et al.

Application No.: 09/080,774

Filed: May 18, 1998

For: OFF-LINE CONVERTER WITH INTEGRATED SOFTSTART AND FREQUENCY JITTER

Examiner: J. Zwelzig

Art Group: 2816

Batch No: K83

# TRANSMITTAL OF FORMAL DRAWINGS

Attn: Official Draftsman **Assistant Commissioner for Patents** Washington, D.C. 20231


Dear Sir:

Enclosed herewith for filing in the above-identified U.S. patent application are the formal drawings, Figures 1, 2, 3, 4, 5, 6, 7, 8 and 9 (9) sheets.


Respectfully submitted,


BLAKELY SOKOLOFF TAYLOR & ZAFMAN, LLP


12400 Wishire Boulevard Seventh Floor Los Angeles, CA 90025 (425) 827-8600




1387018








5/9





7/9

